## PRODUCT INFORMATION SHEET

## Mystik<sup>®</sup> JT-6<sup>®</sup> Synthetic Hi-Temp Greases



	<ul> <li>High-temperature, full synthetic lithium complex greases that combine excellent multi-purpose properties with a high dropping point and low temperature pumpability, providing a wide operating temperature range.</li> <li>Provide superior protection critical to heavily loaded industrial, mining, and construction applications, as well as automotive service classification GC-LB (ISO 220 #2 only).</li> </ul>
FEATURES & ENEFITS	<ul> <li>Premium-quality lithium complex soap thickener.</li> <li>Superior wear control, extreme pressure (EP) performance, and water resistance.</li> <li>Excellent corrosion protection in corrosive environments.</li> <li>Outstanding low-temperature performance and pumpability.</li> <li>Excellent high-temperature oxidation resistance.</li> <li>Certified to meet the highest performance categories of ASTM D 4950 Automotive Grease Classification System, GC for wheel bearing service and LB for chassis service (ISO 220 #2 only).</li> </ul>
APPLICATIONS	<ul> <li>Heavy industrial applications and steel mills.</li> <li>Mining and construction applications.</li> <li>Automotive service (ISO 220 #2 only).</li> <li>Refer to equipment owner's manual for proper lubricant recommendation.</li> </ul>



P.O. Box 240072 8700 West Bradley Road Milwaukee, WI 53224 414·354·1414 **PHONE** 414·362·4371 **FAX** 

info@jmesales.com E·MAIL www.JMEsales.com WEB

## PROPERTIES

Mystik



## Typical Properties for Mystik JT-6 Synthetic Hi-Temp Greases:

Material Code	665071002	665072002	665077002
NLGI Consistency Number	1	2	2
ISO Viscosity Grade	100	100	220
Texture	Smooth	Smooth	Smooth
Color, Observed	Blue	Blue	Blue
Worked Penetration, ASTM D217	310-340	265-295	265-295
Dropping Point, ASTM D2265, °F (°C)	500 (260)	500 (260)	500 (260)
Rust Prevention, ASTM D1743, rating	Pass	Pass	Pass
Emcor Corrosion Protection	Pass	Pass	Pass
5% Synthetic Sea Water Corrosion	Pass	Pass	Pass
Water Washout, ASTM D1264, % Loss	1.2	1.5	1.8
Oil Separation, ASTM D1742, g Loss	_	_	0.90
Four-Ball Weld, ASTM D2596, kgf	500	500	500
NLGI Classification			GC-LB
Base Oil Viscosity: 40°C, cSt	110	110	220

Mystik and JT-6 are registered trademarks of CITGO Petroleum Corporation. All other registered trademarks or trademarks are the property of their respective owners.

Values shown are typical values only and do not constitute a specification. The information contained herein is subject to change without notice.



8700 West Bradley Road Milwaukee, WI 53224

P.O. Box 240072

414·354·1414 **PHONE** 414·362·4371 **FAX** 

info@jmesales.com E-MAIL www.JMEsales.com WEB