



1C484300-63

FILTER HOUSING, DF 0120 MK

STANDARD

## Attributes

Model	DF
Housing Size	0120
Element Size	Size 0120
Element Type	DF
Connection Type	1/2 FNPT
Flow Rate Nominal (Air)	120 m <sup>3</sup> /h
Differential Pressure Gauge	Econometer
Drain Type	KA 1/2
Maximum Operating Pressure	232 psi (16 bar)
Maximum Operating Temperature	149 °F (65 °C)
Minimum Operating Temperature	34 °F (1 °C)

Filter Housing Material	Aluminum
Housing Gasket Material	Perbunan
Length	4.21 inch (107 mm)
Width	4.06 inch (103 mm)
Height	13.39 inch (340 mm)
Weight	2.20 lb (1 kg)
Drain Connection	G 1/2
PED 2014 68 EU	Yes
EAC	Yes

---

#### Packaged Dimensions

Packaged Length	18.11 inch (45.999 cm)
Packaged Width	9.45 inch (24.003 cm)
Packaged Height	5.91 inch (15.011 cm)
Packaged Weight	3.90 lb (1.769 kg)
Packaged Volume	0.58 ft <sup>3</sup> (0.016 m <sup>3</sup> )

---

#### Other Information

NMFC Code	069100-02
UNSPSC Code	40161525

The information contained herein is general in nature and may not reflect actual information regarding the part at time of shipment. Parts may originate in more than one country – the actual country of origin and HS Code will be reflected on the Commercial Invoice(s) that

accompanies the goods.



**John M. Ellsworth Co., Inc.**

P.O. Box 240072  
8700 West Bradley Road  
Milwaukee, WI 53224

800-333-3331 **PHONE**

info@jmesales.com **E-MAIL**  
www.JMEsales.com **WEB**