Eakeland FR PROTECTIVE APPAREL

1

.

()

NEW

High Performanc

Knit Button-Up Shirts The Only 16 Cal Button-Up! Page 14

Waffle Cut FR

Pull Over and a Hoodie Featuring a Built-in Balaclava Page 17

High Performance FR Sweater Knit

Soft and Comfortable Quarter-Zip Page 18

Polar Fleece Series

Two Toned Mid-Weight Fleece Page 19

CONTENT




















Lakeland Industries is a global manufacturer of personal protective equipment, specializing in FR/AR Clothing, Disposable - Chemical **Protection and Fire Protective** apparel. For over 35 years Lakeland has provided products to the working professionals in Electric and Gas Utilities, the Oil and Gas Industry, General Manufacturing and the Petrochemical sectors, keeping workers both safe and comfortable on the job.

HIGH PERFORMANCE GARMENTS

t

LAKELAND'S FR/AR LAYERING SYSTEM — EACH LAYER HAS A PURPOSE

Whatever the weather...sizzling 90 degree summer days, or -10 degrees with wind chill and blowing snow, Lakeland's FR/AR Layering System offers the performance, protection and comfort you need. Permanent Moisture Wicking properties engineered with Inherently FR Fabrics ensure your year-round comfort and safety.



BASE layers are the foundational key to the Lakeland FR/AR Layering System. For you to be cool during those hot summer days, and warm when its frigid cold outside, you need to be dry. BASE layer shirts have the optimal 60/40 blend of hydrophobic and hydrophilic fibers to constantly pull moisture away from your body, move it to the outer surface of the garment, and allow it to dry. Staying dry is the key to keeping you comfortable and better protected.

MID layers are the versatile garments that can help take the chill off for a few hours on a fall morning or provide an extra layer of insulation for those long, frigid winter days. Paired with a BASE layer, MID layers continue to pull moisture away from your body and move it to the outermost garment so it can dry. Lightweight, effective fabrics let MID layers increase comfort without reducing mobility.

OUTER layer garments complete the Layering System, giving you the comfort and protection, you demand. Moisture wicking fabrics continue the process of pulling moisture away from your body to the outermost layer so that it can dry, while the wind resistant / water resistant fabrics help keep the elements at bay so you can focus on the task at hand.

MOISTURE WICKING FABRICS: THE KEY TO COOL SUMMERS AND WARM WINTERS

Why Moisture Wicking Matters

Choosing an FR garment is important to protect you from the dangers on the job. Choosing FR garments with superior moisture wicking technology will protect you in other important ways, all year long.

- Help Prevent Heat Stress Staying cool in hot temperatures will help keep you safe from overheating and heat stroke.
- Provide an Effective Base Layer Staying warm during the winter months starts with fabrics that can guickly pull sweat away from your skin to keep you warm and dry, not cold and clammy.

Moisture-wicking Fabrics and Technology

Moisture-wicking fabrics were originally created to help boost athletic performance in extreme outdoor situations by keeping athletes drier and cooler in hot conditions, and warmer and drier in cold weather.

The original moisture-wicking fabrics started with a synthetic fiber, like polyester, and the application of a chemical finish which allowed moisture to spread. Eventually the finish would wash out and the fabric lost its wicking abilities. These "original" fabrics are still in the marketplace and can be easily identified.



What are Moisture Wicking Fibers?

Superior moisture wicking fabrics combine two types of fibers together: hydrophobic (water hating) fibers and hydrophilic (water loving) fibers. Hydrophobic fibers are synthetic, and include nylon, aramids and modacrylics. Hydrophilic fibers feel natural against the skin, and include cotton, wool and lyocell, to name a few.

> **Hydrophilic Fibers** attract (love) moisture




The combination of fibers, spun together with precision, result in a garment with permanent moisture wicking technology.

Checking the tag on a garment will reveal its blend of fibers. A garment with 100% of any fiber, along with claims of moisturewicking, identifies the presence of a fabric with a chemical finish.







Lakeland High Performance FR apparel takes moisture wicking to the next level, because how guickly you feel dry and comfortable matters all year long. All High Performance FR Fabrics from Lakeland incorporate these key features to pull moisture from your body and help it dry quickly so you can stay comfortable regardless of the temperature or season.



Breathability of

the fabric, or air

permeability, is

cool on the job.

important to keep you

Vertical **Moisture Wicking**



Vertical moisture wicking measures how well a garment pulls moisture off of your skin into the fabric.

How Does Moisture Wicking Work?

The act of wicking moisture away from the body is rooted in science. A superior moisture wicking garment will:

- 1. Absorb moisture and sweat with hydrophilic fibers
- **2.** Push moisture and sweat away from the body with hydrophobic fibers, then pull the moisture and sweat through the garment to the outside for quick dispersion and drying

Transport of Moisture



Transport of moisture refers to a garment's ability to move moisture through the fabric to the outside surface.





Spread of moisture measures how quickly moisture spreads on the surface. The faster it spreads dictates how quickly you will feel dry.





Water vapor transmission rate measures how quickly moisture dissipates through a garment.

FR LAYERING FOR WARM, DRY WINTERS

Understanding FR Layering Systems

A layering system is designed specifically to work together, layer by layer, to keep you dry and warm. Starting with a base layer that consists of permanent moisture-wicking fibers, each additional outer layer should have the same characteristics - keep out the elements and wick moisture away from your body.

- The base layer (or next-to-skin garment) must offer permanent moisture-wicking capabilities, to pull sweat off your skin quickly to keep you feeling dry. Why? Because a moisture-wicking chemical finish will eventually wash away.
- Every additional layer, whether it is a button up shirt, hooded sweatshirt or jacket, must all be created with permanent moisture-wicking capabilities to pull moisture through the fabric and dissipate the moisture on the outer surface.



 If moisture gets trapped between layers, you'll begin to feel damp and cold. All layers must work together to keep the elements out and wick moisture away so you can stay dry and maintain warmth.


Understanding the correct way to layer apparel to maintain body temperature, dryness and protection from the elements takes more than just a system, it takes a system with the right fabrics and technology.

Moisture-wicking Matters for Warmth

As you add and remove layers in cold weather climates, you rely on your FR garments to offer you protection, comfort and dryness.

Lakeland FR garments feature a 60/40 hydrophobic/ hydrophilic fiber blend which means you are getting the optimal moisture-wicking benefits from your apparel.

As your activity level increases, you shouldn't notice a difference in overall dryness. Permanent moisture-wicking fibers in your layering system should work to keep you dry with every added layer



Temperature Increases

so you never feel wet on the job.

As temperatures fluctuate, your layering system should work with you to keep you both dry and warm. Your mobility level should not be compromised by your FR clothing. A layering system designed to function effectively in every climate, regardless of activity level, is the ultimate goal.





Working in the cold is no easy task. As you work in freezing, unforgiving winter weather, the ability to effectively layer protective apparel is essential, not only for safety, but also for flexibility and optimal performance as temperatures and the elements outside fluctuate.

Lakeland's hoodie and jacket are wind proof and water-resistant PLUS moisture wicking. Keeping out the elements while moving moisture away from your body is the key to the performance of an effective layering system.

BASE

MID

OUTER

Every layer of apparel you wear on the job matters.

Each layer should include permanent moisture-wicking to ensure the effectiveness of your total system. Next to skin is most important for cooling and dryness but each layer must move moisture away from the body.

UNDERSTANDING ARC FLASH PROTECTION WHEN LAYERING GARMENTS

┿

BASE

High Performance FR Knit (long sleeve or long sleeve Henley style) ATPV: 16.4 cal/cm²



High Performance FR Knit (long sleeve or long sleeve Henley style) ATPV: 16.4 cal/cm²



High Performance FR Knit (long sleeve or long sleeve Henley style) ATPV: 16.4 cal/cm²

8



Westex[®] DH Shirt ATPV: 8.9 cal/cm²



High Performance FR 8.0 oz Waffle Cut FR ATPV: 9.7 cal/cm²




High Performance FR Sweater Knit ATPV: 14 cal/cm²



28 cal/cm²

CAT 3





High Performance FR Knit (long sleeve or long sleeve Henley style) ATPV: 16.4 cal/cm²





High Performance FR Knit (long sleeve or long sleeve Henley style) ATPV: 16.4 cal/cm²



High Performance FR Knit (long sleeve or long sleeve Henley style) ATPV: 16.4 cal/cm²

÷

When wearing multiple garments, that specific combination of clothing must be tested together to determine their effective arc rating. Lakeland's FR/AR Layering System offers some of the highest levels of protection in the industry. Add the benefits of inherent FR properties, lightweight fabrics and permanent moisture wicking technology and you have superior performance, protection and comfort.



MEN'S HIGH PERFORMANCE FR KNITS

Lightweight | Inherently FR | Permanent Moisture Wicking

The Foundation to Lakeland's **FR/AR Layering System**





- Unparalleled CAT 2 protection at 16.4 cal/cm²
- NFPA 70E and NFPA 2112 UL Certified
- Moves moisture away from your body faster, from front to back, to spread quicker for superior drying
- Excellent breathability
- Soft and comfortable
- Hi-Vis versions feature 3M Scotchlite® Segmented Reflective trim, meeting ANSI 107 Class 3 for visibility
- NEW! Hi-Vis reflective trim allows for corporate logo imprint over pocket

Specifications:

Fabric: 6.95 oz. Inherently FR Lightweight Fabric Standard: NFPA 70E, NFPA 2112 - UL Certified **CAT**: 2 ATPV: 16.4 cal/cm²

Sizes: Small – 6XL, Talls Available MD-4X

Colors: Available in Black, Khaki, Heather Gray, Hi-Vis Yellow with 3M[™] Scotchlite[™] Reflective Material for enhanced visibility



High Performance Knit Features

Drop shoulder design

No seam on top of shoulder or under arm

Left chest pocket

Flat Seam Construction for greater comfort and no chafing

Rolled side seam to front and back for superior comfort



garment

standards



Sleeve labeling quickly identifies



SSCAT Men's Short Sleeve Crew with Pocket

BASE

High Performance FR Hi-Vis Knits

SSCAT29RT Men's Hi-vis Short Sleeve Crew with Pocket and Hi-vis Reflective Trim

LSCAT29RT Men's Hi-vis Long Sleeve Crew with Pocket and Hi-vis Reflective Trim



HIGH PERFORMANCE GARMENTS COVERALLS SHIRTS/PANTS OUTERWEAR ARCRAIN HI-VIS FR DISP. SABLE

10

LSCAT Men's Long Sleeve Crew with Pocket

HSAT Men's 3-Button, Long Sleeve Henley with Pocket



Men's Hi-vis 3-Button, Long Sleeve Henley with Pocket and Hi-vis **Reflective Trim**



SUPERIOR PERFORMANCE, PROTECTION AND COMFORT



WOMEN'S HIGH PERFORMANCE FR KNITS

Lightweight | Inherently FR | Permanent Moisture Wicking





LSCWAT06

FR/AR Protection Tailored for Women!

At last! High Performance protection for Women! These High Performance FR knit shirts have the same FR/AR Protection as the men's styles yet are constructed with classically tailored details for a more accurate women's fit.

- Unparalleled Cat 2 protection at 16.4 cal/cm²
- NFPA 70E and NFPA 2112 UL Certified
- Moves moisture away from your body faster, from front to back, to spread quicker for superior drying
- Excellent breathability
- Soft and comfortable

12

Style Numbers:

LSCWAT – Women's Long Sleeve Crew HSWAT – Women's 3-Button, Long Sleeve Henley **Specifications:**

Fabric: 6.95 oz. Inherently FR Lightweight FabricStandard: NFPA 70E, NFPA 2112 - UL CertifiedATPV: 16.4 cal/cm2CAT: 2Sizes: XS - 4X, Talls Available MD - 2XColors: Available in Heather Gray and Khaki





HSWAT06





HSWAT20



SUPERIOR PERFORMANCE, PROTECTION AND COMFORT

HIGH PERFORMANCE FR KNIT BUTTON-UP

Lightweight | Inherently FR | Permanent Moisture Wicking

The ONLY 16 cal button up shirt in the Industry. You will love the look and feel. Featuring Lakeland's lightweight knit fabric offering permanent moisture wicking technology. The optimal fabric blend for superior performance, protection and comfort.

- 6.9 oz. Lightweight Knit
- Inherently FR
- Permanent Moisture Wicking
- Excellent Mid Layer Option
- Shirt Features:
- Button-Down Collar
- Athletic Cut
- Tag Free Collar for Greater Comfort
- Two Chest Pockets
- Hi-Vis Style meets ANSI 107 Class 3

Style Numbers:

ISHAT

Specifications:

Fabric: 6.9 oz. Inherently FR Knit Fabric Standard: NFPA 70E, NFPA 2112 - UL Certified ATPV: 16.4 cal/cm² **CAT**: 2 Sizes: Khaki and Gray: SM-5XL, Talls Available MD - 4X Hi-Vis: XS-5XL, Talls Available MD - 4X

Colors: Available in Khaki, Gray and Hi-Vis Yellow





ISHAT06





6.5 OZ. WESTEX[®] DH BUTTON-UP SHIRTS

MID

Lightweight | Inherently FR | Permanent Moisture Wicking



ISH65DH

DH

Perfect for Mid-layer Protection!

- Inherent moisture management
- 6.5 oz. lightweight inherently FR fabric
- Dual Hazard Protection for Arc Flash and Flash Fire
- NFPA 2112 UL Certified
- NFPA 70E, CAT 2
- Excellent breathability
- FR protection cannot be washed out or worn away
- Soft and Comfortable
- Hi-Vis Style meets ANSI 107 Class 3

Style Numbers:

ISH65DH

Specifications:

Fabric: 6.5 oz. Westex® DH, Inherently FR Fabric Standard: NFPA 70E, NFPA 2112 - UL Certified ATPV: 8.9 cal/cm² **CAT**: 2 Sizes: Small – 6XL, Talls Available MD-4X Colors: Available in Navy Blue, Khaki, Gray, Medium Blue, Royal Blue and Hi-Vis Yellow



- Drop shoulder design
- Button-down collar
- Left pocket with pen slot
- Athletic cut



Tag free collar for greater comfort



Button closure keeps pockets secure



Long rounded tail keeps shirt tucked in for neater appearance



Never lose a pen with the left pocket pen slot







Westex[®]

16

ISHW65DH

WOMEN'S 6.5 OZ. WESTEX[®] DH BUTTON-UP SHIRTS

Lightweight | Inherently FR | Permanent Moisture Wicking Designed with a classically tailored women's cut, combined with built-in FR protection. Comfortable function all day, in all types of working conditions.

- Inherent moisture management
- 6.5 oz. lightweight inherently FR fabric
- Dual Hazard Protection for Arc Flash
 and Flash Fire
- NFPA 2112 UL Certified
- NFPA 70E, CAT 2
- Excellent breathability
- FR protection cannot be washed out or worn away
- Soft and Comfortable
- Hi-Vis Style meets ANSI 107 Class 3



ISHW65DH29RT

ISHW65DH Women's Khaki Button Down ISHWDH29RT – Women's Hi-Vis

Yellow with Reflective Striping **Specifications**:

Standard: NFPA 70E,

NFPA 2112 - UL Certified **ATPV**: 8.9 cal/cm²**CAT**: 2 **Sizes**: XS - 3X, Talls Available MD - 3X **Colors**: Available in Khaki and Hi-Vis Yellow



HIGH PERFORMANCE FR WAFFLE

Exclusive Waffle Cut Fabric

MID



LSCMWZ

Waffle Cut FR Quarter Zip

Exclusively from Lakeland!

Waffle Cut Fabric meets High Performance FR Design for the ultimate MID Layer Garment.

- Quarter Zip Design
- Lightweight MID Layer Fabric
- Permanent Moisture Wicking
- Soft hand with a bit of added stretch for comfort
- NFPA 2112 UL Certified
- NFPA 70E, CAT2

Style Numbers:

LSCMWZ

Specifications:

Fabric: 8.0 oz. Waffle Cut Inherently FR FabricStandard: NFPA 70E, NFPA 2112 - UL CertifiedATPV: 9.7 cal/cm²CAT: 2Sizes: XS - 5XL, Talls Available MD - 5XColors: Black





LSCMWH

Waffle Cut FR Hoodie w/ Neck Gaiter

Exclusively from Lakeland!

Waffle Cut Fabric meets High Performance FR Design for the ultimate MID Layer Garment.

- Pullover Hoodie Design
- Integrated Neck Gaiter for additional protection of neck, mouth and nose
- Lightweight MID Layer Fabric
- Permanent Moisture Wicking
- Soft hand with a bit of added stretch for comfort
- NFPA 2112 UL Certified
- NFPA 70E, CAT2

Style Numbers:

LSCMWH

Specifications:

Fabric: 8.0 oz. Waffle Cut Inherently FR FabricStandard: NFPA 70E, NFPA 2112 - UL CertifiedATPV: 9.7 cal/cm²CAT: 2Sizes: XS - 5XL, Talls Available MD - 5XColors: Black



HIGH PERFORMANCE FR SWEATER-KNIT

Lightweight | Inherently FR | Permanent Moisture Wicking

MID



MID

Lightweight | Inherently FR | Permanent Moisture Wicking

NEW

LSCSK06

Sweater-Knit FR Quarter Zip... Outside Tough, Inside Soft, Warm All Around!

It's hard to believe this is FR. Lakeland's new High Perfermance FR Sweater-Knit is the soft and comfortable FR pullover you need when the weather turns cold. Flat seam construction with contrasting black threads will have you looking good, while permanent moisture-wicking technology and incredible horizontal stretch will keep you comfortable. The Sweater-Knit's unique design makes for an extremely comfortable and mobile fit. Wear it as a single layer or utilize as a MID layer in Lakeland's FR Layering System.

- Inherently FR Sweater Knit Fabric
- NFPA 70E CAT2 at 14.0 cal/cm2
- Permanent Moisture Wicking Technology



Style Numbers:

LSCSK06

Specifications:

Fabric: 11.0 oz. Inherently FR Fabric Standard: NFPA 70E, NFPA 2112 - UL Certified ATPV: 14.0 cal/cm² **CAT**: 3 Sizes: XS - 5XL, Talls Available MD - 4X Colors: Gray

High Performance FR Polar Fleece Pullover... Sporty, Yet Made to Perform!

Lakeland's new High Performance FR Polar Fleece combines two different fleece fabrics for comfort and durability, with a sporty black and gray color-block design. At 12 oz, this jacket is your go-to jacket for all season. To add warmth and strength, we constructed the sleeve tops and yoke of the garment with the tighter weave gray FR knit fabric, coupled with a fuzzier, cozier fleece that surrounds the torso. Featuring inherent, permanent moisture-wicking technology so you stay cool and dry all year long. Wear as a single layer or as a MID layer in Lakeland's FR Layering System.

FR Fabric Features (Top Jacket):

- 12 oz. Lightweight Inherently FR Fabric
- NFPA 70E CAT 3 at 28 cal/cm2
- Permanent Moisture Wicking

Fleece Fabric Features:

- 11.5 oz. Lightweight Inherently FR Fabric
- NFPA 70E CAT 4 at 40 cal/cm2
- Permanent Moisture Wicking

LAKELAND FR APPAREL

IJKTPF01

Style Numbers: IJKTPF01

Specifications:

Top Jacket Fabric: 12.0 oz. Inherently FR Fabric Standard: NFPA 70E, NFPA 2112 - UL Certified ATPV: 28 cal/cm² **Fleece Fabric** Fabric: 11.5 oz. Inherently FR Fabric Standard: NFPA 70E, NFPA 2112 - UL Certified

ATPV: 40 cal/cm²

Sizes: XS - 5XL, Talls Available MD - 4X Colors: Gray/Black





HIGH PERFORMANCE FR HOODIES

Dual Hazard I Wind and Water Resistant





Choose Zip Front or Pullover

Pull-Over or Zip Hoodies That Are Made To Perform!

- Permanent moisture wicking
- Inherently FR Fabric

28 cal

- Dual certified NFPA 70E, NFPA 2112 - UL Certified
- Front hand warmer pockets
- Sleeves feature rib-knit cuffs
- Wind and Water Resistant

Style Numbers:

IHDP12ANT – Pullover Hoodie IHDP12ANT29RT Hi-Vis Pullover Hoodie with Reflective Trim IHD12ANT – Zipper Front Hoodie



Specifications:

Fabric: 12.3 oz, wind proof, water resistant

- Fabric Content: 48% modacrylic, 37% Tencel®, 10% Twaron®, 5% Spandex®
- Standard: NFPA 70E,

NFPA 2112 - UL Certified

ATPV: 28 cal/cm² **CAT**: 3

Sizes:

Pullover:

- XS 5XL, Talls Available MD 4X Zip Front:
- SM 5XL, Talls Available MD 5X Color: Black or Hi-Vis Yellow



HIGH PERFORMANCE FR JACKETS

Dual Hazard I Wind and Water Resistant



Specifications:

Fabric: 12.3 oz, wind proof, water resistant Fabric Content: 48% modacrylic, 37% Tencel[®], 10% Twaron[®], 5% Spandex[®] Standard: NFPA 70E, NFPA 2112 - UL Certified

• Wind and Water Resistant

• Front hand warmer pockets

Smooth finish is extremely abrasion

resistant and prevents snagging

Permanent moisture wicking

• Dual certified - NFPA 70E,

NFPA 2112 - UL Certified

• Inherently FR Fabric

Style Numbers:

IJK12ANT – Jacket IJK12ANT29RT – Hi-Vis Jacket with **Reflective Trim**



ATPV: 28 cal/cm²








Hi-Vis!



CAT: 3 Sizes: XS - 5XL, Talls Available MD - 4X Color: Heather Gray or Hi-Vis Yellow

High Performance FR Camo Jacket

AKELAND FR APPAREL



- Smooth finish is extremely abrasion. resistant and prevents snagging
- Four 6" zipper pockets (2 hand pockets, 1 left chest pocket, 1 arm/sleeve pocket)
- Wind and water resistant

Style Numbers: JKTAT30 – FR Camouflage Jacket Specifications: Fabric: 7.3 oz, Inherently FR, wind proof, water resistant Standard: NFPA 70E, NFPA 2112 - UL Certified ATPV: 14.6 cal/cm² **CAT: 2** Sizes: Sizes: SM - 4XL Talls Available LG - 4X Color: Camo



FR SHIRTS AND PAR

6

TS/PANTS OUTERWEAR ARC RAIN

Later and

22

HIGH PERFORMANCE GARMENTS COVERALLS S



Vented Back For Maximum Cooling!





Pocket labeling helps you quickly identify garment standards!



Long rounded tail keeps shirt tucked in for neater appearance

NISH720 **Dual Certified Khaki Work Shirt**

- Button-down collar
- Button front closure with placket front
- Two ply yoke
- Two chest pockets with button flap closure, left pocket with pen slot,
- Long rounded tail, long sleeve with button cuffs
- NFPA 2112 UL Certified
- NFPA 70E, CAT 2

Fabric: 7 oz. 88/12 FR Cotton

ATPV: 8.9 cal/cm² Sizes: Small - 5XL

Color: Khaki



NISH7VB **Dual Certified Vented Back** Work Shirt

- Aramid mesh vented back
- Button-down collar
- Long sleeve with button cuffs
- Two chest pockets
- Long rounded tail
- NFPA 2112 UL Certified
- NFPA 70E, CAT 2

Fabric: 7 oz. 88/12 FR Cotton ATPV: 8.9 cal/cm² Sizes: Small - 5XL Color: Khaki and Gray



For air-cooling relief, we've added soft mesh underneath a vented cape!

FR SHIRTS/PANTS

24



Scotchlite[™]



NISH7RT

- Two chest pockets with button flap closure, left pocket with pen slot,
- Long rounded tail, long sleeve with button cuffs
- NFPA 2112 UL Certified
- NFPA 70E, CAT 2
- 3M[™] Scotchlite[™] Reflective Material for enhanced visibility
- Fabric: 7 oz. 88/12 FR Cotton
- ATPV: 8.9 cal/cm² Sizes: Small - 5XL
- Color: Khaki

appearance





HIGH PERFORMANCE FR LIGHTWEIGHT PANTS DUAL HAZARD I MENS/WOMENS



IP8WUT - Men's IP8WWUT - Women's Dual Certified Lightweight Pant

- 8oz UltraSoft® Basketweave Wider waist band for increased
- comfort
- Crotch gusset for increased comfort
- Articulated knees for increased mobility and comfort
- Extra material heel to prevent wear
- Right leg cell phone pocket
- Right leg stealth zippered pocket
- Articulated back pockets-more comfortable



Fabric: 8oz 88/12 Westex® Basketweave ATPV: 9.8 cal/cm² Sizes: Men: 28-36, 38-50 Even, Inseams 30-36 Women: 0 - 20 Even, Inseams 28 - 34 Colors: Navy Blue, Khaki, Olive Green



1-800-645-9291 | 256-350-3873 | lakeland.com | info@lakeland.com

Westex

UltraSoft[®]

FR COVERALLS

WHAT MAKES A GOOD COVERALL?

26

....

Pleated Shoulders to make sure you can reach and move as freely as you need to

NFPA 2112 -**UL Certified and** NFPA 70E for dual-hazard protection

Easily Identify the protection level the garment offers

All Snaps and Zippers covered by FR fabric

Elastic Waist for a more comfortable fit

Pass Through Pockets let you easily access undergarments

Reflectivity Options 3M[™] Scotchlite[™] Reflective Material for enhanced visibility

3M Scotchlite[®]

Eakeland

FR COVERALLS

C065DH 6.5 oz. Westex® DH FR Coverall

Maximum Protection!

- 6.5 oz. lightweight inherently FR fabric
- Excellent breathability
- FR protection cannot be washed out or worn away
- Optimized moisture management

Maximum Features!

- Pleated bi-swing back gives superior freedom
- of movement
- Elastic waist provides better comfort
 All exposed metal next to skin (snaps, etc.) are FR fabric covered for maximum protection
- Sewn throughout with FR thread
- Two patch breast pockets, left chest pocket has a pen slot
- Heavy duty, two-way quick release brass zipper
- Two hip pockets with a snap closure on the left hip pocket
- Two swing pockets with internal pass-thrus
- Utility pocket on right leg
- Adjustable sleeve cuffs
- Fabric: 6.5 oz. Westex® DH,

inherently FR fabric

ATPV: 8.9 cal/cm²

28

Sizes: 36 to 66, Talls also available **Colors**: Navy, Khaki, Royal Blue, Orange and Safety Yellow



Westex° DH 8.9 cal Pleated bi-swing back gives superior freedom of movement. while the elastic waist provides better comfort!



Covered snap closures



Pocket labeling helps you quickly identify garment standards!



Two hip pockets – snap closure on left pocket



C010/C020 DuPont™ Nomex® IIIA Coveralis

- 2 chest patch pockets
- Pleated bi-swing back with elastic waistband
- Heavy duty 2-way zipper
- Utility pocket on right leg
- Adjustable sleeve cuffs
- Hip pockets with snap closure on left pocket
- Exact chest sizing

C010 – 4.5 oz. DuPont™ Nomex® IIIA

ATPV: 4.6 cal/cm² Sizes: 36 to 66, Talls also available Colors: Navy and Khaki



C020 – 6.0 oz. DuPont™ Nomex® IIIA ATPV: 5.6 cal/cm² Sizes: 36 to 66, Talls also available Colors: Navy and Orange





HI-VIS FR COVERALL, ANSI 107 CLASS 3

TSP010

Maximum Protection!

- Lightweight, Inherently FR Fabric • Excellent breathability
- FR protection cannot be washed out or worn away
- Optimized moisture management

Maximum Features!

- Pleated bi-swing back gives superior freedom
- of movement
- Elastic waist provides better comfort • All exposed metal next to skin (snaps, etc.) are FR fabric covered for maximum protection
- Sewn throughout with FR thread
- Two patch breast pockets, left chest pocket has a pen slot
- Heavy duty, two-way quick release brass zipper
- Two hip pockets with a snap closure on the left hip pocket
- Two swing pockets with internal pass-thrus
- Utility pocket on right leg
- Adjustable sleeve cuffs
- Fabric: Inherently FR Fabric

Standards: ANSI 107 Class 3, NFPA 70E, NFPA 2112 - UL Certified

ATPV: 8.4 cal/cm²

Sizes: 36 to 66, Talls also available Colors: Hi-Vis Yellow







16" zippered boot openings

Scotchlite[™]

Reflective Materia

9.8 cal

NC070FRC

NC070FRC/NC070FRCRT 7 oz. FR Cotton Coverall Fabric: 7 oz. 100% FR cotton twill ATPV: 9.8 cal/cm² Meets ASTM F1506

Maximum Protection!

- freedom of movement • Elastic waist provides better comfort
- All exposed metal next to skin (snaps, etc.) are FR fabric covered for maximum protection
- Sewn throughout with FR thread
- "RT" style has 3M™ Scotchlite™
- visibility





- Pleated bi-swing back gives superior
- **Reflective Material for enhanced**

NC070FRCRT

Maximum Features and Value!

- Two patch breast pockets, left chest pocket has a pen slot
- Heavy duty, two-way quick release brass zipper
- Two hip pockets with a snap closure on the left hip pocket
- Two swing pockets with internal pass-thrus
- Utility pocket on right leg
- Adjustable sleeve cuffs
- Pre-shrunk fabric

Sizes: Small – 5XL, Talls also available

Colors: Navy, Khaki and Gray

FR COVERALLS

Style C071/C071RT

Flared leg cuffs

7 pockets

visibility

• Pre-shrunk fabric

7 oz. FR Cotton Coverall

• Adjustable sleeve cuffs

• Pleated back with elastic waist

• Sewn throughout with FR thread

• "RT" style has 3M™ Scotchlite™ Reflective Material for enhanced









3M **Scotchlite**[™]

Reflective Materia

Fabric: 7 oz. 88/12 FR Cotton ATPV: 8.9 cal/cm² Sizes: Small – 6XL, Talls also available

Colors: Navy, Khaki and Gray





Khaki





9 oz. FR Cotton Coverall • Flared leg cuffs • Pleated back with elastic waist • 7 pockets

• Adjustable sleeve cuffs

Style CO81/CO81RT

• Sewn throughout with FR thread

C081

- "RT" style has 3M™ Scotchlite™ Reflective Material for enhanced visibility
- Pre-shrunk fabric



C081RT

Fabric: 9 oz. 100% FR Cotton ATPV: 12.4 cal/cm² **Sizes**: Small – 6XL, Talls also available Colors: Navy, Khaki, Gray and Orange (Orange not available in CO81RT style)



Orange

Navy



TERWEAR ER

ŵý.

ELL.

120 ****

H PERFORMANCE GARMENTS COVERALLS SHIRTS/PANTS OUTERWEAR CRAIN HIVIS FRDISPOSABLE SIZING/CARE Storm flap keeps the weather away from zipper

Bi-swing back and elastic waist for comfort

NIP08RT13

NIP08RT13 Dual Certified Insulated Parka

- NFPA 2112 reflective tape, thread and zipper, extra reflective tape for 360° visibility
- Reinforced stitching, storm flap and oversized pockets
- NFPA 2112 UL Certified
- NFPA 70E, CAT 4

Parka Features

- Bi-swing back and elastic waist for comfort and protection
- Heavy duty hook and loop closures

Outer-shell: 9.0 oz. pre-shrunk FR cotton treated with a water repellent finish.

Liner: 11.8 oz Protect 400 liner

ATPV: 40 cal/cm² **CAT** 4 Sizes: MD - 5XL Color: Navy







NIB08RT13

NIB08RT13 Dual Certified Bib Overalls

- NFPA 2112 reflective tape, thread and zipper, extra reflective tape for 360° visibility
- Reinforced stitching, storm flap and oversized pockets
- NFPA 2112 UL Certified
- NFPA 70E, CAT 4

Bibs Feature

- Non-metallic suspenders
- Leg zippers with full gussets

Outer-shell: 9.0 oz. pre-shrunk FR cotton treated with a water repellent finish.

Liner: 11.8 oz Protect 400 liner

ATPV: 40 cal/cm² CAT 4 Sizes: MD - 5XL Color: Navy



FR OUTERWEAR



NIC08RT13

Dual Certified Insulated Coveralls

- Reinforced stitching, storm flap and oversized pockets
- Bi-swing back and elastic waist for comfort and protection
- Heavy duty hook and loop closures • Leg zippers with full gussets
- NFPA 2112 reflective tape, thread and zipper, extra reflective tape for 360° visibility
- NFPA 2112 UL Certified
- NFPA 70E, CAT 4

NICO8RT13

Outer-shell: 9.0 oz. pre-shrunk FR cotton treated with a water repellent finish. Liner: 11.8 oz Protect 400 liner CAT 4 ATPV: 40 cal/cm² Sizes: MD - 5XL Color: Navy





NIJKBD10

NIJKBD10 **Dual Certified FR Insulated Jacket**

- 10 oz. Brown duck outer shell
- 11.8 oz Protect 400 Liner
- D-ring pass thru standard
- Corduroy collar
- 4 pocket construction
- NFPA 2112 UL Certified
- NFPA 70E, CAT 3

ATPV: 39 cal/cm² **CAT**: 3 Sizes: Small - 5XL Color: Brown

JACKET FEATURES Industrial Jacket!

Standard D-ring Pass Thru

Hidden underneath a no matter the weather forecast.



Pockets, Pockets and More Pockets!







Two inside coat pockets, plus four more outside!

Hook-up to Safety in Extreme Cold with Our

Velcro® secured flap is a standard feature D-ring pass thru. We know that working at heights occurs



FR OUTERWEAR



Our Feature Packed Insulated Bibs Are A Cold Weather Favorite!



Non-metallic suspenders



Pocket with Velcro® overlap assures contents stay in place



Leg zippers with full gussets

Wind barrier keeps

the cold out, the warmth in

NIBOBD10

NIBOBD10 **Dual Certified FR Insulated Bibs**

• 10 oz. brown duck outer shell

- 11.8 oz Protect 400 Liner
- Non-metallic suspenders on bibs
- Bibs have leg zippers with full gussets
- NFPA 2112 UL Certified
- NFPA 70E, CAT 3

38







NFRZJK13



NFRPLHD13

NFRZJK13 **Dual Certified Zipper Front FR Hoodie**

- Attached hood with FR draw-cord closure
- Front hand warmer pocket
- Rib knit cuffs and waistband with FR front zipper
- NFPA 2112 UL Certified
- NFPA 70E, CAT 2

Fabric: 11 oz. FR knit cotton ATPV: 15 cal/cm² Sizes: MD-5XL

Color: Navy



NFRPLHD13 **Dual Certified Pullover FR Hoodie**

- One-piece pullover
- Attached hood with FR draw-cord closure
- Rib knit cuffs and waistband
- Front hand warmer pocket
- NFPA 2112 UL Certified
- NFPA 70E, CAT 2

Fabric: 11 oz. FR knit cotton ATPV: 15 cal/cm² Sizes: MD-5XL

Color: Navy



FR ARC RAINWEAR



More Comfortable

- Polyurethane stays flexible in cold weather
- Lighter weight

More Durable for Longer Wear Cycle

- crotch "blowout"
- Saves money in the long run

Specifications Fabric:

Arc Rating: Ebtas: HAF: MVTR: Total % Body B 3rd Degree Boo Jacket Certific **Bib Pants Cert** Test Methods:



POLYURETHANE FR/ARC RATED RAINWEAR... **PREMIUM FEATURES! UNBEATABLE VALUE!**

Lakeland ARC X Polyurethane FR/Arc Rated Rainwear offers Superior Performance and features:

- Cooler: Breathes and releases perspiration
- Softer and more flexible than other rainwear fabrics
- Softness and pliability make it less prone to get caught on branches and brushes and not tear
- Superior puncture, tear and abrasion resistance
- Reinforced HF sealed seams for maximum strength
- Innovative DRP™ Diamond Reinforced Patch to prevent

	10.0 oz.² Polyurethane over FR cotton knit	
	CAT 2/ 16.3 cal/cm2	
	21.9 cal/cm2	
	84%	
	305G/M ² /24H	
Burn:	19.67%	
dy Burn:	6.55%	
ation:	ANSI/ISEA 107-2015 Type R Class 3	
ification:	ANSI/ISEA 107-2015 Class E	
	ASTM F1891 Standard Arc Flash ASTM F2733 Standard Flash Fire	
	ASTM F903 Standard Chemical	
	and the	
		And in case of the local division of the loc

ARC RAINWEAR POLYURETHANE



Features Designed to Keep You Dry!



All seams are stitched and high-frequency sealed

Front storm

hook and loop

flap with

closure



Over-size jacket hood with adjustable draw string fits comfortably

over a hard hat



Jacket collar with self-stowing hood storage





Ventilated jacket back

lanyard opening



Hook and loop adjustable jacket cuffs for optimal fit and





PU10LY AJPU100R

ARC X PU Rain Jacket AJPU10LY - Lime Yellow AJPU100R - Orange

- Oversized hood • D-ring pass through Vented back
- Hand warmer pockets
- Sizes: Small- 6X

42

Tall Sizing Available

Arc Rating: 16.3 cal/cm² Ebtas: 21.9 cal/cm² **HAF**: 84% MVTR: 546 G/M²/24H **Total % body burn**: 19.67% 3rd Degree Burn: 6.55% ANSI 107-2015, Type R, Class 3 ASTM F1891 Arc Flash ASTM F2733 Flash Fire **ASTM F903 Chemical Resistance**

3" internal anti-wicking dam on bottom of jacket and pants to prevent internal moisture migration

Two oversize lower front pockets with hook and loop closure and comfort pull tabs, plus



hand warmer

openings.

ALCPU10LY

1<mark>6.3</mark> cal

ARC X PU 48" Rain Coat ALCPU10LY

- 48 inch long coat
- Oversized hood
- Anti-wicking dam
- Vented back

Arc Rating: 16.3 cal/cm² Ebtas: 21.9 cal/cm² **HAF**: 84% **MVTR**: 546 G/M²/24H Total % body burn: 19.67% 3rd Degree Burn: 6.55% ANSI 107-2015, Type R, Class 3 ASTM F1891 Arc Flash ASTM F2733 Flash Fire **ASTM F903 Chemical Resistance** Sizes: Small- 6X



43

ARC RAINWEAR POLYURETHANE

.





Non-metallic quick release bib pant strap clips



100 One reinforced oversize 9" x 9.5" pant pocket with hook and loop closure and



Leg zipper for easy donning and doffing over boots and work shoes.



ARC X PU Rain Pant APPU10LYZ

- 16 inch zippered boot openings
- 2 snap fly • Anti-wicking dam Arc Rating: 16.3 cal/cm² Ebtas: 21.9 cal/cm² HAF: 84% MVTR: 546 G/M²/24H Total % body burn: 19.67% 3rd Degree Burn: 6.55% ANSI 107-2015, Class E ASTM F1891 Arc Flash ASTM F2733 Flash Fire **ASTM F903 Chemical Resistance** Sizes: Small- 6X

Tall Sizing Available **2 107** F2733

ABPU10LYZ

16.3 cal

ARC X PU Bib Style Rain Pant ABPU10LYZ - Lime Yellow ABPU100RZ - Orange

- Cargo Pocket
- Non-metallic, quick release clips
- 16 inch zippered boot openings
- 2 snap fly
- Anti-wicking dam

44

ABPU100RZ

Ebtas: 21.9 cal/cm² **HAF**: 84% MVTR: 546 G/M²/24H Total % body burn: 19.67% 3rd Degree Burn: 6.55% ANSI 107-2015, Class E ASTM F1891 Arc Flash ASTM F2733 Flash Fire **ASTM F903 Chemical Resistance** Sizes: Small- 6X **Tall Sizing Available**

Arc Rating: 16.3 cal/cm²



APPU10LYZ

199 1

Lakeland FR/AR Rain Gear Meets ANSI 107-2015, improving worker visibility during the day, in low-light conditions and at night!







Ventilated cket back

Over-size jacket hood with adjustable stowing hood



Jacket collar with self draw string fits storage comfortably



over a hard hat

Reinforced lanyard opening

3" internal antiwicking dam on bottom of jacket



Hook and loop adjustable jacket and pant cuffs for optimal fit and comfort



ARC X PVC Bib Style Rain Pant ABPVC10LY

- Cargo Pocket
- 2 snap fly • Anti-wicking dam
- Sizes: Small- 6X
- Tall Sizing Available Arc Rating: 8.3 cal/cm² Ebtas: 43 cal/cm²
- **HAF**: 82% MVTR: 471 G/M²/24H
- Total % body burn: 13.66% 3rd Degree Burn: 6.28% ANSI 107-2015, Class E ASTM F1891 Arc Flash ASTM F2733 Flash Fire

NEPA **2** ANSI ASTM 107 F2733

						Averag
PVC FF	R/ARC Rain	wear Per	rmeation	Testing -	ASTM F9	03-18, P
8 . L.	and the second second		Ser.	2.4		
		M	8 - C	1		-

8.3 cal

Challenge Chemical	CAS Number	Replicate	Average Sample Thickness (mm)	Test Temperature (C°)	Results After 5 min @ 0 psig	Results After 10 min @ 2 psig	Final Results	
		1	26.0		Pass	Pass		
Acetone 99%	67-64-1	2	25.5	27	Pass	Pass	Pass	
		3	25.0		Pass	Pass		
Sodium Hydroxide		1	25.5		Pass	Pass		
-	1310-73-2	2	24.5	27	Pass	Pass	Pass	
50%		3	30.0		Pass	Pass		
		1	27.0		Pass	Pass		
Toluene 99%	108-88-3	2	25.0	27	Pass	Pass	Pass	
		3	24.5		Pass	Pass		
Hydrofluoric Acid		1	26.0		Pass	Pass		
•	7664-39-3	2	23.5	27	Pass	Pass	Pass	
48 %		3	23.0		Pass	Pass		
		1	24.0		Pass	Pass		
Sulfuric Acid 93%	7664-93-9	2	25.5	27	Pass	Pass	Pass	
		3	25.5		Pass	Pass		

AJPVC10LY

ARC X PVC Rain Jacket AJPVC10LY

8.3 cal

• Oversized hood • D-ring pass through Vented back



Sizes: Small- 6X Tall Sizing Available Arc Rating: 8.3 cal/cm² Ebtas: 43 cal/cm² **HAF**: 82% MVTR: 471 G/M²/24H Total % body burn: 13.66% 3rd Degree Burn: 6.28% ANSI 107-2015, Type R, Class 3 ASTM F1891 Arc Flash ASTM F2733 Flash Fire ASTM F903 Chemical Resistance

Two oversize lower jacket front pockets with hook and loop closure and pull-tab openings

Front storm flap with hook and loop closure

1-800-645-9291 | 256-350-3873 | lakeland.com | info@lakeland.com

LAKELAND FR APPAREL

• Non-metallic, quick release clips

ASTM F903 Chemical Resistance





Non-metallic quick release bib pant strap clips



One reinforced oversize pant pocket with hook and loop closure and pull tabs



Hook and loop adjustment tab for easy donning and doffing over boots and work shoes

ure A

FR MODACRYLIC H-VIS


NHAT IS **STATIC DISSIPATIVE FABRIC?**

Lakeland's vests are made from patented GlenGuard™ Hi-Vis/FR protective fabrics. These patented static dissipative fabrics, 10A (solid) and 10AM (mesh), are each designed with a carbon core fiber. The carbon core fiber works to dissipate a potentially harmful static charge allowing safe work in potentially combustible environments. Industries where there is always notable concern for static build-up include the natural gas transmission, exploration, drilling and transportation industries, gas utility, industrial confined spaces, petrochemical plants and many others. These types of hazardous environments are where a carbon fiber blended fabric is essential for worker safety.

DOCUMENTATION OF STATIC DISSIPATIVE CLAIMS

Documentation and proof of static dissipative claims in these environments are achieved using the Gas Probe Test, Shirley Method 138-2000 and the Static Decay Test, Method 191A and 5931. Both tests are similar using "worst case conditions" scenarios, and require a 50 specimen sample size. In the tests, fabric is charged to 4,000 volts during a 20 second period, and conclusive results specify a decay time to 10% maximum voltage at 0.5 seconds. All 50 specimens must pass the test before the fabric can cite these static dissipating claims. Both the 10A (Solid) and 10AM (Mesh) fabrics have passed this rigorous panel of testing.


GLENGUARD




HOW DISSIPATION WORKS



A charged surface comes near or touches the neutral dissipative surface of the fabric.



Charged ions flow to the fabric and begin to dissipate.



The charge dissipates evenly over the full surface via the carbon grid, leaving a safe low-density charge.

LEARN MORE HERE... **Understand The Science of Static Dissipation**



V-10A0112ZL

- material
- 27" length ATPV: 6.3 cal/cm² Meets ASTM F1506 Sizes: M-6XL

NEPA CAT ANSI

V-10AM0322ZL

Reflective Material • 27" length Fabric: Modacrylic mesh fabric ATPV: 5.5 cal/cm² Meets ANSI 107 -2015 Class 2 Meets ASTM F1506 Sizes: M-6XL **Color**: Lime/Yellow with orange contrast binding

NFPA CAT ANSI

V-10AM2023ZL

- Reinforced lanyard port
- 2" 3M[™] Scotchlite[™]
- 27" length

Fabric: Modacrylic mesh fabric ATPV: 5.5 cal/cm² Meets ANSI 107 - 2015 Class 3 Meets ASTM F1506 Sizes: M-6XL **Color**: Lime/Yellow with orange contrast binding





LAKELAND FR APPAREL

Static Dissipative Solid Fabric Vest

• Non-conductive zipper closure • 2" - heat transfer silver reflective

Fabric: Modacrylic solid fabric Meets ANSI 107 -2015 Class 2 Color: Lime/Yellow



Static Dissipative Mesh Vest • Non-conductive zipper front closure 2" - 3M[™] Scotchlite[™]



V-10A0112ZL



V-10AM0322ZL



V-10AM2023ZL

Scotchlite

Static Dissipative Mesh Vest

• Non-conductive zipper front closure **Reflective Material**



NFPA CAT ANSI



V8A0112V-L/0



V8AM0112VL

V8A0112V-L/O Class 2 **FR Modacrylic Solid Vest** Hook and loop closure • 2" - heat transfer silver reflective material • 27" length Fabric: Modacrylic mesh fabric ATPV: 5.5 cal/cm² CAT Level: 1 Meets ANSI 107 -2015 Class 2 Meets ASTM F1506 Sizes: M-6XL Color: Lime/Yellow or Hi-vis Orange

V8AM0112VL Class 2 FR Modacrylic Mesh Vest • Hook and loop closure • 2" - heat transfer silver reflective material • 27" length Fabric: Modacrylic mesh fabric ATPV: 5.1 cal/cm² CAT Level: 1 Meets ANSI 107 -2015 Class 2 Meets ASTM F1506 Sizes: M-6XL Color: Lime/Yellow



V8AM0322VL



V8AM0312ZL

V8AM0312ZL Class 2 FR Modacrylic Mesh Vest

- Non-conductive zipper
- closure
- 2" heat transfer silver reflective material
- Adjustable snap sides
 27" length
- **Fabric**: Modacrylic mesh

fabric ATPV: 5.1 cal/cm²

CAT Level: 1

Meets ANSI 107 -2015 Class 2 Meets ASTM F1506 Sizes: S/M, L/XL Color: Lime/Yellow



V8A0113V-0



V8A0113V-0 Class 3

Class 3 FR Modacrylic Solid Vest

Hook and loop closure
2" - heat transfer silver reflective material
27" length
Fabric: Modacrylic mesh fabric
ATPV: 5.5 cal/cm²
CAT Level: 1
Meets ANSI 107 - 2015 Class 3
Meets ASTM F1506
Sizes: M-6XL
Color: Hi-vis Orange

V8AM0123ZL Class 3 FR Modacrylic Mesh Vest

- n would crylic west
- Non-conductive zipper closure
- 2" heat transfer silver reflective material
- 2 slant pockets
- Adjustable snap sleeves
 27" length

Fabric: Modacrylic mesh

fabric **ATPV**: 5.1 cal/cm²

CAT Level: 1

Meets ANSI 107 - 2015 Class 3 Meets ASTM F1506 Sizes: M-6XL

Color: Lime/Yellow with orange contrast binding

V8AM0322VL

• 27" length

CAT Level: 1

Sizes: S/M, L/XL

fabric

FR Modacrylic Mesh Vest

• Hook and loop closure

• 2" - heat transfer silver

• Adjustable snap sides

Fabric: Modacrylic mesh

Meets ANSI 107 -2015 Class 2

reflective material

ATPV: 5.1 cal/cm²

Meets ASTM F1506

Color: Lime/Yellow with

orange contrast binding

Class 2

50

LAKELAND FR APPAREL





V8AM0223VL

V10AM0123ZL Class 3

Static Dissipative Mesh Vest

- Non-conductive zipper closure
- 2" 3M[™] Scotchlite[™] Reflective Material
- Adjustable snap sleeves
- 27" length

Fabric: Modacrylic mesh fabric

ATPV: 5.5 cal/cm²

Meets ANSI 107 - 2015 Class 3 Meets ASTM F1506

3 Sizes: M-6XL

Color: Lime/Yellow with orange contrast binding

V8AM0223VLL Class 3 EP Medaenylia Mesh Ves

FR Modacrylic Mesh Vest

- Reinforced lanyard port
- Hook and loop closure
- Adjustable hook and loop sides
- 2" 3M™ Scotchlite™ Reflective Material
- Adjustable snap sleeves
- 27" length

Fabric: Modacrylic mesh fabric

ATPV: 5.5 cal/cm² Meets ANSI 107 - 2015 Class 3 Meets ASTM F1506

Sizes: S/M, L/XL

Color: Lime/Yellow with orange contrast binding

FR DISPOSABLE

52

Flame resistant disposables are intended to provide liquid and dust protection when worn over a primary thermal protective of contaminants, make sure that you are selecting the correct disposable garment for your application.

Repellency is also a critical attribute to consider when flammable contaminants are not soaking through to your repellency to keep grease, hydraulic fluid and other harmful contaminants from compromising your primary protective clothing.



yrolon

PYROLON[®] PRODUCTS CERTIFIED TO TWO NEWLY RELEASED ANSI/ISEA STANDARDS



ANSI/ISEA 203-2018 Standard for **Secondary Single-Use FR Protective Clothing for Use Over Primary FR Protective Clothing**

Workers who rely on Primary FR Garments for flash fire protection have the NFPA 2112 Standard on Flame-Resistant Clothing as a guide to ensure that the garments they are selecting meet a minimum standard of protection and that testing for those garments has been certified by an independent source. But what about the Secondary FR garments that are routinely used in hazmat remediation, pharmaceutical and laboratory operations, and petrochemical processing facilities when those FR wearers also require additional protection from chemicals or other harmful contaminants?

ANSI/ISEA 203 will now help to assure workers that the secondary FR garment does not impact the thermal performance of the primary clothing being worn to protect against possible flame hazards. Apparel covered by the standard is intended for single-use wear in environments where flame hazards exist and where the worker may also be exposed to contaminants, such as grease, oil or welding spatter, that can become attached to primary flame-resistant garments worn underneath, potentially affecting the performance of those critically important items.

Garments appropriate for this standard are used in industrial settings and the test methods set forth by the standard are intended to ensure that the secondary items will not be a detriment to the primary protection underneath in a flame exposure. These garments can be useful in many applications, like refineries, utilities, and welding.

The ANSI/ISEA 203-2018 standard will help to fill a gap in the industry and provide manufacturers with a straightforward means to call a product with a wide range of uses "FR" after testing it to a specified set of requirements. For compliance, vertical flame testing on a large-scale manikin of the secondary apparel over primary apparel is performed.

This new standard gives FR wearers guidance for selection of both primary FR and secondary FR garments by looking for products complying with NFPA 2112 or ANSI/ISEA 203. While Lakeland choose to have our garments certified to these respective standards by Underwriters Laboratory (UL), not all manufacturers will submit to, or have products that can pass, this third-party testing.

Wearers of Secondary FR garments should now begin to select and utilize those products meeting the new ANSI/ISEA 203 standard for the confidence that the addition of these garments is not compromising the effectiveness of the Primary FR garment and the safety of its user.




ANSI/ISEA 125-2014 National Consensus Standard for Conformity Assessment of Safety and Personal Protective Equipment.

Along with ANSI 203, Lakeland is also working to certify the entire Pyrolon family of products to ANSI 125 Level 3 Standard for Conformity Assessment of Safety and Personal Protective Equipment. ANSI 125 establishes a standardized process to ensure product conformity with requirements for product testing, process quality management, market surveillance, corrective action and record keeping, as well as a standardized way to inform purchasers of how the product was evaluated for conformity.

Level 3 PPE is the highest level of certification achievable and applies to PPE for which the user is unlikely able to spot a defective condition in the product in time to avoid grave injury or illness.

Currently both Pyrolon Plus 2 and Pyrolon CBFR have been certified as Level 3 PPE. To learn more about ANSI/ISEA 125-2014 and its impact on how you are selecting your required PPE here.



FR DISPOSABLE



Use an outer layer of

FR coveralls to protect

FR coveralls!

Pyrolon[®] Plus 2 disposable

from greasy-grimy dirt and


prolong the life of expensive

Pvrolon® Plus 2 arc protective clothing!





Lab Coat 7101 Snap closure, 2 pockets, long sleeve. Sizes: S – 5X Case Pack: 30



Coverall 7428 Zipper closure, attached hood, elastic wrists and ankles. **Sizes**: S – 5X Case Pack: 25

Disposable Coveralls perfect for use over thermally protective and

 Second generation Pyrolon[®] Plus 2 offers wet or dry strength superior to that provided by other traditional Flame Resistant disposables

• Meets the NFPA 2113 requirements for section 5.1.9.

• Pyrolon® Plus 2 is breathable, making this a cool and comfortable garment to wear.

• Pyrolon® Plus 2 can be used in work environments where hazardous or non-hazardous contaminants may be present.

Pyrolon[®] Plus 2 meets ANSI/ISEA 203

ANSI/ISEA 125-2014 Level 3 Certification

Do not use for fire protection. Avoid open flame or intense heat. Pyrolon® Plus 2 garments are not washable. Washing removes the special finishes, thereby removing the flame retardancy, water and oil repellent characteristics.





Coverall 7412 Zipper closure. Sizes: S – 5X Case Pack: 25



Coverall 7414 Zipper closure, attached hood, boots, elastic wrists. **Sizes**: S – 5X Case Pack: 25



Coverall 7417 Zipper closure, elastic wrists and

ankles. Sizes: S-5X Case Pack: 25



Blue Boot Cover 7903BP Elastic top,

17" high. Sizes: S/M, L/ XL. 2X Case Pack: 200/pr



Blue Bell Shape Hood 7713B Sizes: One Size Case Pack: 250



All Pyrolon[®] Plus 2 garments are available in white or Blue. For Blue. add a "B" at the end of the style number.

FR DISPOSABLE



Pyrolon® CRFR

Disposable, **Chemical Resistant, and** Flame Resistant, all rolled into one garment.



51130 Coverall, hood, elastic face, storm flap over zipper, wrists, and ankles. Sizes: S - 5XL Case Pack: 6



51100

Coverall, collar, storm

flap over zipper, open

wrists and ankles

hemmed cuff.

Sizes: S - 5XL

Case Pack: 6

Pyrolon® CRFR

Pyrolon[®] CRFR protective wear...

Disposable, chemical resistant. and

flame resistant, meeting NFPA2113

contaminating flammables like paint,

oil and grease, hazardous liquids and

contaminants, and dry particulates from

51110

ankles.

Coverall, collar, storm

flap over zipper,

Sizes: S - 5XL

Case Pack: 6

elastic wrists and

in one protective garment.

Pyrolon® CRFR garments bar

penetrating to inner clothing.

Only from Lakeland.

NFPA 2113

requirements. Multi-functional qualities

51150 Coverall, hood, elastic face and wrists, storm flap over zipper, attached boots. Sizes: S - 5XL Case Pack: 6



51730

51166 Coverall, respirator-fit hood, elastic face, wrists & ankles. Hook & Loop Closure. Sizes: S - 5XL Case Pack: 6



Pyrolon® CRFR features:

• Self extinguishing

• Won't melt or drip

for section 5.1.9.

concern

burn

51250

Jacket, collar, elastic

wrists, double storm

flap with hook and

loop closure.

Sizes: S - 5XL

Case Pack: 6

• Light chemical splash protection

• Meets the NFPA 2113 requirements

• Designed to be worn over woven

environments where flash fire is a

Nomex IIIA 4.5 oz - 43.7% Body burn

Nomex IIIA 4.5 oz with Pyrolon CRFR over Nomex coverall - 34.16% Body

woven DuPont[™] Nomex[®], for

ASTM F1930 Burn Data:

ASTM F1930 Burn Data:

thermally protective coveralls, such as

Apron, long sleeve, elastic wrists, 32"

51300

and ankles.

Sizes: M-4X

Case Pack: 6

Pant, elastic waist

51740 Boot cover, elastic top, 17" high.

length. Sizes: S/M, L/XL, 2X Sizes: S-4X Case Pack: 200/pr. Case Pack: 12

FR DISPOSABLE



- Advanced chemical barrier
- Self extinguishing
- Won't melt or drip
- Meets the NFPA 2113 requirements for section 5.1.9
- Meets ANSI/ISEA 203
- ANSI/ISEA 125-2014 Level 3 Certification
- Designed to be worn over primary FR protective clothing, for environments where both chemical exposures and flash fire are a concern

Fabric: Pyrolon® CBFR Standard: NFPA 2113, section 5.1.9, ANSI/ **ISEA 203**

ASTM F1930 Burn Data: Westex® DH Coverall – 16.4% body burn ASTM F1930 Burn Data:

Westex[®] DH with Pyrolon[®] CB-FR over DH coverall – 7.65% body burn



Protective storm flag over zipper

Tape sealed seams

Styles with and without attached boots





Coverall 52132

Respirator-fit hood, storm flap over zipper, elastic face, wrists and ankles Sizes: S - 5XL Case Pack: 6

FR GARMENT SIZING

HIGH PERFORMANCE SERIES GARMENTS

			High Perf	ormance FR S	eries Knits a	nd Shirts						
S M L XL 2X 3X 4X 5X 6X												
Chest	36-38	40-42	44-46	48-50	52-54	56-58	60-62	64-66	68-70			
Sleeve												

Tall sizes MT-4XT add 2" to the standard sleeve length, 2" to the body.

			High Perfo	rmance FR Se	ries Hoodies	and Jackets			
	XS	S	М	L	XL	2XL	3XL	4XL	5XL
Chest	32-34	36-38	40-42	44-46	48-50	52-54	56-58	60-62	64-66
Sleeve	33	34	35	36.5	38	39	40	41.5	43

STANDARD SERIES FR GARMENTS

				FR SI	nirts						
	S M L XL 2X 3X 4X 5X 6X										
Chest	36-38	40-42	44-46	48-50	52-54	56-58	60-62	64-66	68-70		
Sleeve	34	34	35	36	37	38	39	40	41		
Collar/Neck	17	18	19	21	22	23	25	26	27		

				FR Cov	veralls				
	S	М	L	XL	2X	3X	4X	5X	6X
Chest	36-38	40-42	44-46	48-50	52-54	56-58	60-62	64-66	68-70
Inseam	30	30	30	30	30	30	30	30	30
Sleeve	33	34	35	36	37	38	39	40	41

Tall coveralls add 2" to the standard sleeve length, 2" to the inseam & 1" in the torso. Short coveralls subtract 2" to the standard sleeve length, 2" in inseam & 1" in the torso. If chest measurement falls between sizes, go up to next largest size.

	FR Pants											
Waist	28	30	32	34	36	38	40	42	44	46	48	50
Inseam (Un-hemmed)	37	37	37	37	37	37	37	37	37	37	37	37

	FR Hoodie											
	XS	S	М	L	XL	2XL	3XL	4XL	5XL	6XL		
Chest	28-30	32-34	36-38	40-42	44-46	48-50	52-54	56-58	60-62	64-66		

WOMEN'S FR GARMENT SIZING

	High Performance FR Series Knits and DH Shirts											
	X/S	S	М	L	XL	2X	3X	4X				
Fits	1/2	4/6	8/10	12/14	16/18	20/22	24/26	28/30				

Tall sizes M-3X

	Women's FR Pants													
Eve	en Sizes	0	2	4	6	8	10	12	14	16	18	20	22	24

Inseams available in even sizes from 28-34

No Need to Size Up to Layer Up!

If you buy a base/mid/outer combo and need a Size Large base, you order **Large** for all layers.

No need to guess and get an up-sized outer garment fit over your layered system!



STANDARD SERIES FR GARMENTS

			Brown Du	ick Jacket			
	S	М	L	XL	2X	3X	4X
Chest	36-38	40-42	44-46	48-50	52-54	56-58	60-62
Sleeve	33	34	35	37	38	39	40

	Brown Duck Bib Overall											
	S	М	L	XL	2X	3X	4X					
Waist	30	32	34	36	38	40	42					
Inseam	30	30	30	30	30	30	30					

	Insulated Parka										
	S	М	L	XL	2XL	3XL					
Chest	40-42	44-46	48-50	52-54	56-58	60-62					
Sleeve	33	34	35	35	36	37					
Collar	24	24	25	25	26	26					
Back Length	33	33	33	33	33	33					

	Insulated Bib Overalls										
	S	М	L	XL	2X	3X	4X				
Waist	30	32	34	36	38	40	42				
Inseam	30	30	30	30	30	30	30				

	Insulated Coveralls											
	S	М	L	XL	2XL	3XL	4XL	5XL	6X			
Chest	36-38	40-42	44-46	48-50	52-54	56-58	60-62	64-66	68-70			
Sleeve	33	34	34	35	35	36	37	38	39			
Inseam	30	30	30	30	30	30	30	30	30			

FR GARMENT WASHING INSTRUCTIONS

- Wash all garments before first use.
- Wash FR garments separate from everyday clothing
- Hand or machine wash using mild detergents in warm water.
- Flat dry or tumble dry on low.
- DO NOT use soap, bleach, fabric softener/sheets, starch.
- Do not iron

60

For more information please contact Lakeland Industries at 800-645-9291

FR/ARC RATED RAINWEAR

	Arc Rainwear Jacket										
	S	М	L	XL	2X	3X	4X	5X			
Chest	32-34	36-38	40-42	44-46	48-50	52-54	56-58	60-62			
Sleeve Length	33	33	34	34	35	35	36	36			
Center Length Back	32	32	32	32	32	32	32	32			

If chest measurement falls between sizes, go up to the next largest size. Tall coat add 3" to sleeve length and 3" to center back.

	Arc Rainwear Long Coat										
	S	М	L	XL	2X	3X	4X	5X			
Chest	32-34	36-38	40-42	44-46	48-50	52-54	56-58	60-62			
Sleeve Length	33	33	34	34	35	35	36	36			
Center Length Back	48	48	48	48	48	48	48	48			

If chest measurement falls between sizes, go up to the next largest size.

Arc Rainwear Pant									
	S	М	L	XL	2X	3X	4X	5X	
Waist	28-30	32-34	36-38	40-42	44-46	48-50	52-54	56-58	
Inseam - Regular	29	29	29	29	30	31	31	31	
Inseam - Tall	32	32	32	32	33	35	35	35	

	Arc Rainwear Bib Overalls										
	S	М	L	XL	2X	3X	4X	5X			
Waist	24-26	28-30	32-34	36-38	40-42	44-46	48-50	52-54			
Inseam - Regular	29	29	29	29	29	30	31	31			
Inseam - Tall	32	32	32	32	32	33	35	35			

FR HI-VIS APPAREL

FR Reflective Vest									
	S	М	L	XL	2X	3X	4X	5X	
Chest	32-34	36-38	40-42	44-46	48-50	52-54	56-58	60-62	



In the USA

Toll Free: 800-645-9291 Voice: 256-350-3873 Fax: 256-350-0773 Email: info@lakeland.com

In Canada

Toll Free: 800-489-9131 Voice: 519-757-0700 Fax: 519-757-0799 Email: sales-canada@lakeland.com

> Pyrolon®, Pyrolon® Plus 2 and Pyrolon® CRFR are trademarks of Lakeland Industries Inc. 3M and Scotchlite are trademarks of 3M, used under license in Canada Westex DH® is a registered trademark of Milliken & Company VELCRO® is a registered trademark of Veloro Industries B.V. Nomex® is a registered trademark of E. I. du Pont de Nemours and Company ©2018 Lakeland Industries Inc. All rights reserved.

