Height Extensions



(800) 321-8173 • fax: (800) 899-1784 155 Harvestore Drive • DeKalb, IL 60115 www.sviinternational.com

> Height Extensions LRC7090J

BALTIMORE • CHICAGO • LOS ANGELES



Table of Contents

PAGE(S)	EXTENSIONS	FOR LIFT MODELS:
5	LDR	Benwil, Bishamon, old American, old Eagle, old Grand, old Worth, Globe American, Eagle, Grand, Hydralift, Manitowoc, Nussbaum, Force, Western
5	HDR	ALM, Benwil, Bishamon, Challenger, VBM, new Ammco, Forward, old square VBM, Gilbarco/Manitowoc, Globe, Nussbaum, Phoenix, Force, Western
6	LDH	ALM, Challenger, VBM, new Ammco, Forward, old square VBM, Gilbarco, American, Eagle, Grand, Hydralift, Manitowoc, Nussbaum, Phoenix, Force, Globe, Ford Smith AFO's
6	ALDH	ALM, Alamo/ASSSA, Challenger, VBM, new Ammco, Forward, old square VBM, Manitowoc, American, Eagle, Grand, Hydralift, Nussbaum, Force, Phoenix, Worth
7	AHDR	ALM, Benwil, Bishamon, Challenger, VBM, new Ammco, old American, old Eagle, old Grand, old Worth, Forward, old square VBM, Gilbarco, Globe, Hydralift, American, Eagle, Grand, Phoenix, Nussbaum, Force, Western, Worth
8	AHDRNRW	ALM, Benwil, Bishamon, Challenger, VBM, new Ammco, old American, old Eagle, old Grand, old Worth, Forward, old square VBM, Gilbarco, Globe, American, Eagle, Grand, Hydralift, Manitowoc, Nussbaum, Phoenix, Force, Western, Worth
8	Challenger	Challenger Adapters for CL9/CL10
9		Nussbaum, Phoenix, Force
9	ALDRND	HydraLift
9	ARND	ALM
9	AARND	ALM
10	NS	Any Lift using Nesting Style Extensions and Adapters
10	NSP	Any Lift using Nesting Style Extensions and Adapters
11	NSPNRW	Any Lift using Nesting Style Extensions and Adapters

Don't see what you need? We have more height extensions and pads available. We can also accommodate your special order! Call an SVI Rep today! 800-321-8173



Table of Contents

PAGE(S)	EXTEN	SIONS	LIFT MODELS
11	NSPSUA		Any Lift using Nesting Style Extensions and Adapters
11	SUH 5"		Any lift using 1-1/4"-7 or 1-3/8"-6 or 1-3/8"-4 ACME, lengths from 4" - 10"
12	SUH 6"		Any lift using 1-1/4"-7 or 1-3/8"-6 or 1-3/8"-4 ACME, lengths from 4" - 12"
12	SUR6		Any lift using 1-1/4"-7 or 1-3/8"-6 or 1-3/8"-4 ACME, lengths from 4" - 10"
13	SUNRW		Any lift using 1"-8, 1-1/4"-7, or 1-3/8"-6 threads or 1-3/8"-4 ACME. Length up to 10"
13	SUR5		Any lift using 1"-8, 1-1/4"-7, or 1-3/8"-6 threads or 1-3/8"-4 ACME. Length up to 10"
14	SURX		Any lift using 1"-8, 1-1/4"-7, or 1-3/8"-6 threads or 1-3/8"-4 ACME. Length up to 10"
14	ASPR		For Rotary
15	SOR		For Rotary
15	SORP		For Rotary
16	SORNA	Î	For Rotary, Wheeltronic & Western
16	SPR		For Rotary
16	SPR1		For Rotary & Western
17	SOM		For Ford Smith, Gilbarco, Globe, Manitowoc & Western

Don't see what you need? We have more height extensions and pads available. We can also accommodate your special order! Call an SVI Rep today! 800-321-8173



Table of Contents

PAGE(S)	EXTENSIONS	LIFT MODELS
17	SOMP	For Ford Smith, Gilbarco, Globe, Manitowoc & Western
17	SPCW1	Challenger & Weaver
18	SOCW	Challenger & Weaver
18	SOCWP	Challenger & Weaver
18	SONRW	Challenger & Weaver
19	SOGP	Gilbarco, Globe & Manitowoc
19	SOGPA	Gilbarco, Globe & Manitowoc
19	SOWNA	Western & Rotary
20	SPW1	Rotary & Western
20	SPCW	Challenger & Weaver
20	ASPCW	Challenger & Weaver
21	Benwil	Various Truck Adapters and Pick-up Pad Assemblies for Benwil Models
22	Manitowoc Lifts	Various Height Extensions for Manitowoc Lifts & Gilbarco Models
23	Rotary	Various Height Extensions for Rotary Models
24–29	RUBBER PADS	Available for ALM, Ammco, Benwil, Bishamon, Challenger, VBM, Forward, Fuchs, Globe, Ford Smith, Hofmann, Hydralift, Gilbarco, Manitowoc, Nussbaum, Force, PMW, Phoenix, Bend-Pak, Western, Grand, and many more



This extension fits over:

BENWIL & BISHAMON: Flat, rectangular pads on spin-up type adapter. Fits over BH-7205, not for square pad TP-9 lifts.

OLD AMERICAN, OLD EAGLE, OLD GRAND, OLD WORTH: Spin-up has flat rectangular pads with X-pattern. Fits over BH-7750-02 pad.

AMERICAN, EAGLE & GRAND: Call for details. **Note:** Grand has made several adapter changes over the years. Dimensions may need to be verified before shipment is made.

HYDRA-LIFT: Spin-up has four corners turned up. Fits over round BH-7450-02 pad.

MANITOWOC: Spin-up has two sides turned up, that had BH-7350-00 pad.

NUSSBAUM & FORCE: Spin-up with round pad. Fits over BH-7450-02 pad.

WESTERN: Spin-up has flat rectangular pad with X-pattern. Fits over BH-7750-02 pad.


Type - HDR

		Ext.	Opening	Opening
SVI Part #	For Lift Mfg by:	Height	Width	Height
BH-7150-43	ALM	4"	6-9/16"	1-5/16"
BH-7150-45	ALM	6"	6-9/16"	1-5/16"
BH-7150-49	ALM	10"	6-9/16"	1-5/16"
BH-7202-55	Benwil, Bishamon	3"	3-3/4"	1-1/8"
BH-7202-56	Benwil, Bishamon	4"	3-3/4"	1-1/8"
BH-7200-12	Benwil, Bishamon	6"	3-3/4"	1-1/8"
BH-7202-58	Benwil, Bishamon	7"	3-3/4"	1-1/8"
BH-7200-12L	Benwil, Bishamon	9"	3-3/4"	1-1/8"
BH-7202-61	Benwil, Bishamon	11"	3-3/4"	1-1/8"
BH-7202-62	Benwil, Bishamon	12"	3-3/4"	1-1/8"
BH-7227-34	Challenger, VBM, new Ammco	6"	6-1/8"	1-5/16"
BH-7227-37	Challenger, VBM, new Ammco	9"	6-1/8"	1-5/16"
BH-7227-40	Challenger, VBM, new Ammco	12"	6-1/8"	1-5/16"
BH-7236-70	Forward	6"	5-3/4"	15/16"
BH-7353-33	Gilbarco/Manitowoc	4"	5-3/16"	3/4"
BH-7353-35	Gilbarco/Manitowoc	6"	5-3/16"	3/4"
BH-7253-15	Globe	3"	3-5/16"	1-5/16"
BH-7250-05	Globe	6"	3-5/16"	1-5/16"
BH-7253-22	Globe	10"	3-5/16"	1-5/16"
BH-7353-40	Manitowoc	3"	5-1/4"	1/2"
BH-7353-43	Manitowoc	6"	5-1/4"	1/2"
BH-7353-47	Manitowoc	10"	5-1/4"	1/2"
BH-7450-39	Nussbaum, Force, Phoenix	6"	5-3/8"	1-3/16"
BH-7450-43	Nussbaum, Force, Phoenix	10"	5-3/8"	1-3/16"
BH-7749-94	Western	4"	4-3/16"	1-1/8"
BH-7749-96	Western	6"	4-3/16"	1-1/8"

Type - LDR

FEATURES: Replaceable Rubber Pad - order BH-7205

SVI Part #	For Lift Mfg by:	Height	Opening Width	Opening Height"
BH-7202-50	Benwil/Bishamon	3"	3-3/4"	1-1/4"
BH-7202-53	Benwil/Bishamon	6"	3-3/4"	1-1/4"
BH-7375-02	Old American, Old Eag	le 6"	4-1/4"	1-1/8"
	Old Grand, Old Worth			
BH-7253-13	Globe	6"	3-3/8"	1-5/16"
BH-7290-19	Hydra Lift	6"	4-11/16"	1"
BH-7353-12	Manitowoc	4"	5-1/4"	1/2"
BH-7353-14	Manitowoc	6"	5-1/4"	1/2"
BH-7450-24	Nussbaum & Force	4"	5-3/8"	1-13/16"
BH-7450-26	Nussbaum & Force	6"	5-3/8"	1-13/16"
BH-7749-97	Western	3"	4-3/16"	1-1/8"
BH-7750-01	Western	6"	4-3/16"	1-1/8"



FEATURES:

Replaceable Rubber Pad

- order BH-7205



This extension fits over:

ALM: Fits over round BH-7150-02 pad.

BENWIL & BISHAMON: Fits over BH-7205 pad, not for square pads TP-9.

CHALLENGER, VBM & NEW AMMCO: Fits over a BH-7225-01 rubber pad

FORWARD & OLD SQUARE VBM: Forward spin-up with four corners turned up, VBM is flat. Fits over BH-7235-90A.

GILBARCO/MANITOWOC: Fits over BH-7350-00.

GLOBE: Flat, rectangular pad. Fits over BH-7250-01 pad.


NUSSBAUM, PHOENIX & FORCE: Fits over BH-7450-02 pad.

WESTERN: Fits over BH-7750-02



Type - LDH FEATURES:

• Replaceable Rubber Pad



This extension fits over:

ALM

Fits over BH-7250-01 spin-up with round pad.

ALAMO/ASSSA

Spin-up with Rectangular pad (BH-7165-02) and four corners turned up.

CHALLENGER, VBM & NEW AMMCO Fits over BH-7225-01 pad.

FORWARD & OLD SQUARE VBM

Forward spin-up has four corners turned up, VBM is flat. Fits over BH-7235-90A

GILBARCO/MANITOWOC

Spin-up with four corners turned up. Fits over BH-7350-00 pad.

AMERICAN, EAGLE & GRAND

Spin-up with four corners turned up. **Note:** Grand has made several adapter changes over the years. Dimensions may need to be verified before shipment is made.

HYDRA-LIFT (1)

Spin-up has four corners turned up.

HYDRA-LIFT (2) Spin-up with round pad..

NUSSBAUM, PHOENIX & FORCE

Fits over spin-up with round pad, BH-7450-02.

WORTH Spin-up with four corners turned up.

Type - ALDH

FEATURES:

- Adjustable
- Replaceable Rubber Pad order BH-77225-01 for 6" or BH-7235-90A for 5" or 5-1/2" (Ask About Our Heavy Duty Pads and Kits)

SVI Part #	for Lift Mfg by:	Height	Opening Width	Opening Height	Rubber Pae Used
BH-7150-35	ALM	4"	6-1/2"	1-5/16"	BH-7225-01
BH-7150-01	ALM	6"	6-1/2"	1-5/16"	BH-7225-01
BH-7150-39	ALM	8"	6-1/2"	1-5/16"	BH-7225-01
BH-7150-41	ALM	10"	6-1/2"	1-5/16"	BH-7225-01
BH-7227-24	Challenger, VBM, new Ammco	4"	6-1/8"	1"	BH-7225-01
BH-7225-02	Challenger, VBM, new Ammco	6"	6-1/8"	1"	BH-7225-07
BH-7225-05	Challenger, VBM, new Ammco	9"	6-1/8"	1"	BH-7225-0
BH-7227-28	Challenger, VBM, new Ammco	10"	6-1/8"	1"	BH-7225-07
BH-7227-30	Challenger, VBM, new Ammco	12"	6-1/8"	1"	BH-7225-0 ⁻
BH-7236-61	Forward & old square VBM	4"	5-11/16"	13/16"	BH-7235-90
BH-7235-88	Forward & old square VBM	6"	5-11/16"	13/16"	BH-7235-90
BH-7236-66	Forward & old square VBM	10"	5-11/16"	13/16"	BH-7235-90
BH-7353-17	Gilbarco	4"	5-3/16"	3/4"	BH-7235-90
BH-7353-19	Gilbarco	6"	5-3/16"	3/4"	BH-7235-9
BH-7353-21	Gilbarco	8"	5-3/16"	3/4"	BH-7235-90
BH-7353-23	Gilbarco	10"	5-3/16"	3/4"	BH-7235-9
BH-7376-19	American, Eagle, Grand	3"	5-3/16"	3/4"	BH-7235-9
BH-7376-22	American, Eagle, Grand	6"	5-3/16"	3/4"	BH-7235-90
BH-7376-26	American, Eagle, Grand	10"	5-3/16"	3/4"	BH-7235-90
BH-7290-29	Hydra Lift	6"	4-5/8"	1"	BH-7235-9
BH-7290-33	Hydra Lift	10"	4-5/8"	1"	BH-7235-90
BH-7290-35	Hydra Lift	4"	5-1/8"	1-5/16"	BH-7235-90
BH-7290-37	Hydra Lift	6"	5-1/8"	1-5/16"	BH-7235-90
BH-7290-41	Hydra Lift	10"	5-1/8"	1-5/16"	BH-7235-90
BH-7353-25	Manitowoc	4"	5-1/4"	1/2"	BH-7235-90
BH-7353-27	Manitowoc	6"	5-1/4"	1/2"	BH-7235-90
BH-7353-31	Manitowoc	10"	5-1/4"	1/2"	BH-7235-90
BH-7450-29	Nussbaum, Phoenix, Force	4"	5-3/8"	1-1/8"	BH-7235-90
BH-7450-03	Nussbaum, Phoenix, Force	6"	5-3/8"	1-1/8"	BH-7235-90
BH-7450-34	Nussbaum, Phoenix, Force	9"	5-3/8"	1-1/8"	BH-7235-90
BH-7450-35	Nussbaum, Phoenix, Force	10"	5-3/8"	1-1/8"	BH-7235-90
BH-7250-07	Globe & Ford Smith AFO's	6"	4-9/16"	1-3/16"	BH-7235-90

SVI Part #	for Lift Mfg by:	Height	Opening Opening Width Height		Rubber Pad Used
BH-7165-10	Alamo, ASSSA	4-6"	4-1/8"	3/4"	BH-7235-90A
	,				
BH-7165-11	Alamo, ASSSA	6-9.5"	4-1/8"	3/4"	BH-7235-90A
BH-7150-52	ALM	4-6"	6-1/2"	1-5/16"	BH-7225-01
BH-7150-53	ALM	6-9.5"	6-1/2"	1-5/16"	BH-7225-01
BH-7227-49	Challenger, VBM	4-6"	6-3/16"	1"	BH-7225-01
BH-7227-50	Challenger, VBM	6-9.5"	6-3/16"	1"	BH-7225-01
BH-7236-77	Forward	4-6"	5-3/4"	15/16"	BH-7235-90A
BH-7236-78	Forward	6-9.5"	5-3/4"	15/16"	BH-7235-90A
BH-7353-49	Gilbarco	6-9.5"	5-3/16"	3/4"	BH-7235-90A
BH-7376-39	American, Eagle, Grand	4-6"	5-3/16"	3/4"	BH-7235-90A
BH-7290-58	Hydra Lift	4-6"	4-11/16"	1"	BH-7235-90A
BH-7290-59	Hydra Lift	6-9.5"	4-11/16"	1"	BH-7235-90A
BH-7353-50	Manitowoc	4-6"	5-1/4"	1/2"	BH-7235-90A
BH-7353-51	Manitowoc	6-9.5"	5-1/4"	1/2"	BH-7235-90A
BH-7450-44	Nussbaum, Force	4-6"	5-3/8"	1-1/8"	BH-7235-90A
BH-7450-45	Nussbaum, Force	6-9.5"	5-3/8"	1-1/8"	BH-7235-90A
BH-7587-12	Werther	4-6"	5-5/8"	1-3/16"	BH-7225-01
BH-7587-13	Werther	6-9.5"	5-5/8"	1-3/16"	BH-7225-01
BH-7702-50	Worth	6-9.5"	5-3/4"	15/16"	BH-7235-90A





Height Extension Adapters for Surface Mount Lifts

Type - AHDR

FEATURES:

- Adjustable
- Replaceable Rubber Pad order BH-7205





SVI Part #	for Lift Mfg by:	Height	Opening Width	Opening Height
BH-7150-54	ALM	4-6"	6-1/2"	1-5/16"
BH-7150-55	ALM	6-9.5"	6-1/2"	1-5/16"
BH-7202-63	Benwil, Bishamon	4-6"	3-3/4"	1-3/16"
BH-7202-64	Benwil, Bishamon	6-9.5"	3-3/4"	1-3/16"
BH-7227-47	Challenger, VBM	4-6"	6-3/16"	1"
BH-7227-48	Challenger, VBM	6-9.5"	6-3/16"	1"
BH-7376-40	Eagle, Old Worth, Grand	4-6"	4-1/4"	1-1/8"
BH-7376-41	Eagle, Old Worth, Grand	6-9.5"	4-1/4"	1-1/8"
BH-7236-79	Forward	4-6"	5-3/4"	15/16"
BH-7236-80	Forward	6-9.5"	5-3/4"	15/16"
BH-7353-52	Gilbarco	4-6"	5-3/16"	3/4"
BH-7353-53	Gilbarco	6-9.5"	5-3/16"	3/4"
BH-7253-26	Globe AFO's	6-9.5"	4-9/16"	1-3/16"
BH-7376-42	Am, Ea, Grand	4-6"	5-13/16"	3/4"
BH-7376-43	Am, Ea, Grand	6-9.5"	5-13/16"	3/4"
BH-7253-23	Globe	4-6"	3-5/16"	1-5/16"
BH-7253-24	Globe	6-9.5"	3-5/16"	1-5/16"
BH-7290-65	Hydra Lift	6-9.5"	4-5/8"	1"
BH-7353-54	Manitowoc	4-6"	5-1/4"	1/2"
BH-7353-55	Manitowoc	6-9.5"	5-1/4"	1/2"
BH-7450-46	Nussbaum, Force	4-6"	5-3/8"	1-1/8"
BH-7450-47	Nussbaum, Force	6-9.5"	5-3/8"	1-1/8"
BH-7749-91	Western	4-6"	4-3/16"	1-1/8"
BH-7749-92	Western	6-9.5"	4-3/16"	1-1/8"

This extension fits over:

ALM - Fits over BH-7150-02 pad, spin-up with round pad.

BENWIL & BISHAMON - Flat rectangular pads on spin-up type adapter. Fits over BH-7205, not for square pad on TP-9.

CHALLENGER, VBM & NEW AMMCO -

Spin-up with four corners turned up. Fits over BH-7225-01.

OLD AMERICAN, EAGLE, OLD GRAND, OLD WORTH - Spin-up has flat rectangular pads with X-pattern. Fits over BH-7750-02 pad.

FORWARD & OLD SQUARE VBM - Forward spin-up has four corners turned up, VBM is flat. Fits over BH-7235-90A.

GILBARCO/MANITOWOC - Spin-up with four corners turned up. Fits over BH-7350-00

GLOBE - Flat, rectangular pad. Fits over BH-7250-01 pad.

AMERICAN, EAGLE & GRAND - Spin-up with four corners turned up. Note: Grand has made several adapter changes over the years. Dimensions may need to be verified before shipment is made.

HYDRA-LIFT (1) - Spin-up has four corners turned up. Fits over BH-7450-02

HYDRA-LIFT (2) - Spin-up with round pad.


NUSSBAUM, PHOENIX & FORCE - Spin-up with round pad. Fits over BH-7450-02 pad.

WESTERN - Spin-up has flat rectangular pad with X pattern. Fits over BH-7750-02 pad.

WORTH - Spin-up with four corners turned up.

SVI carries many additional styles of height extensions. If you don't see what you need, please call your SVI Sales Representative!






FEATURES:

- Adjustable
- Replaceable Rubber Pad

Type AHDRNRW

For close to frame obstructions

Commonly sold for use on the rear of late model trucks. Avoids denting or puncturing fuel tank and smashing brake lines.



SVI Part #	for Lift Mfg by:	Height	Opening Width	Opening Height
BH-7150-75	ALM	4-6"	6-9/16"	1-5/16"
BH-7150-76	ALM	6-9"	6-9/16"	1-5/16"
BH-7202-69	Benwil, Bishamon	6-9"	3-3/4"	1-3/16"
BH-7236-85	Forward	6-9"	5-3/4"	15/16"
BH-7376-53	Am,Ea,Grand	6-9"	5-3/16"	3/4"
BH-7450-62	Nussbaum, Force	6-9"	5-3/8"	1-1/8"
BH-7749-86	Western	4-6"	4-3/16"	1-1/8"

These adapters are "Specials" and are Made-to-Order. Please call an SVI representative for a price quote.

This extension fits over:

ALM - spin-up with round pad

BENWIL & BISHAMON - flat rectangular pads on spin-up type adapter

CHALLENGER, VBM & NEW AMMCO - spin-up with four corners turned up

OLD AMERICAN, EAGLE, OLD GRAND, OLD WORTH - spin-up has flat rectangular pads with X-pattern

FORWARD & OLD SQUARE VBM - Forward spin-up has four corners turned up, VBM is flat

GILBARCO - spin-up w/ four corners turned up

GLOBE - flat, rectangular pad

AMERICAN, EAGLE & GRAND - spin-up with four corners turned up. Note: Grand has made several adapter changes over the years. Dimensions may need to be verified before shipment is made

HYDRA-LIFT (1) - spin-up has four corners turned up

HYDRA-LIFT (2) - spin-up with round pad

MANITOWOC - spin-up w/ two sides turned up


NUSSBAUM, PHOENIX & FORCE - spin-up with round pad

WESTERN - spin-up has flat rectangular pad with X pattern

WORTH - spin-up with four corners turned up

Height Extension Adapters for Challenger CL9/CL10 Lifts

			Opening	Openina		
SVI Part #	OEM #	Height	Width	Height	Description	
BH-7232-17HDA	A1101		n/a	n/a	Screw Adapter Base Only	
BH-7232-17HDA-P	A1100		n/a	n/a	Screw Adapter Base & Pad	
BH-7231-96		3"	4-3/16"	3/4"	Fixed Slip-On	
BH-7232-00	A1105-06	6"	4-3/16"	3/4"	Fixed Slip-On	BH
BH-7231-99	A1105-10	10"	4-3/16"	3/4"	Fixed Slip-On	SV
BH-7231-97		4"-6"	4-3/16"	3/4"	Adjustable Slip-On	Hea
BH-7231-98		6"-9.5"	4-3/16"	3/4"	Adjustable Slip-On	bas pla
BH-7232-01	A1104	n/a	n/a	n/a	4" x 4" Pad	ado
BH-7234-01		6"	5-1/4"	1-3/8"	Slip-On	pro
BH-7234-119	10315		n/a	n/a	Height Extension Kit	



BH-7232-17HDA-P SVI Exclusive: Heavy duty adapter base with increased plate thickness and additional welding process.



BH-7234-119



* More Challenger Adapters are available, see Table of Contents.

Your SVI representative is also available to help you find the Height Extensions and Pads you need!




Type - LDRND
FEATURES:
 Replaceable Rubber Pad
order BH-7450-02

Type - ALDRND

FEATURES:

- Adjustable
- Replaceable **Rubber Pad** order BH-7450-02



This extension fits over: **NUSSBAUM, PHOENIX & FORCE** Spin-up with round pad

SVI Part #	for Lift Mfg by:	Height	Opening Width	Opening Height
BH-7450-48	Nussbaum, Force, Phoenix	3"	5-1/4"	1-1/8"
BH-7450-49	Nussbaum, Force, Phoenix	4"	5-1/4"	1-1/8"
BH-7450-04	Nussbaum, Force, Phoenix	6"	5-1/4"	1-1/8"
BH-7450-53	Nussbaum, Force, Phoenix	8"	5-1/4"	1-1/8"
BH-7450-55	Nussbaum, Force, Phoenix	10"	5-1/4"	1-1/8"

This extension fits over: HYDRA-LIFT (1) Spin-up has four corners turned up

SVI Part #	for Lift Mfg by:	Height	Opening Width	Opening Height
BH-7290-83	Hydra-Lift	6-9.5"	4-2/3"	1"

Type - ARND



This extension fits over: ALM Fixed with round pad

FEATURES:

 Replaceable Rubber Pad order BH-7150-02

SVI Part #	for Lift Mfg by:	Height	Opening Width	Opening Height
BH-7150-03	ALM	6"	6-9/16"	1-5/16"
BH-7150-04	ALM	9"	6-9/16"	1-5/16"
SV/L recommande BH 7150 20 Adjustable Spin Up (see below)				

SVI recommends BH-7150-29 Adjustable Spin-Up (see below).






- **FEATURES:**
- Adjustable
- Replaceable Rubber Pad order BH-7150-02

This extension fits over: ALM Spin-up with round pad

SVI Part #	for Lift Mfg by:	Height	Opening Width	Opening Height
BH-7150-28	ALM	4-6"	6-9/16"	1-5/16"
BH-7150-29	ALM	6-9.5"	6-9/16"	1-5/16"
BH-/ 100-29	ALIVI	0-9.0	0-9/10	1-5/10







Alumir

Alumir

		Pin	Pin
SVI Part #	Height	Length	Diameter
BH-7340-12	3"	2-1/4"	1-1/8"
BH-7340-13	4"	2-1/4"	1-1/8"
BH-7340-15	6"	2-1/4"	1-1/8"
BH-7606-35	5"	1-7/8"	1-1/8"
BH-7606-36	2-1/2"	1-7/8"	1-1/8"
BH-7235-72	1-1/2"	1-3/16"	1-1/4"
BH-7089-98	3"	1-1/4"	1-1/4"
BH-7793-45	3"	2-1/2"	1-1/4"
BH-7089-99	4"	1-1/4"	1-1/4"
BH-7089-99A	5"	1-1/4"	1-1/4"
BH-7089-99B	6"	1-1/4"	1-1/4"
BH-7796-04	6"	2-1/2"	1-1/4"
BH-7479-94	2-3/4"	1-11/16"	1-3/8" (35mm)
BH-7479-95	5-3/4"	1-11/16"	1-3/8" (35mm)
BH-7090-10	3"	1-3/4"	1-3/8"
BH-7090-11	4"	1-3/4"	1-3/8"
BH-7090-12	5"	1-3/4"	1-3/8"
BH-7090-13	6"	1-3/4"	1-3/8"
BH-7533-98S	2-1/2"	1-1/2"	1-1/2"
BH-7101-02	2-5/8"	2"	1-1/2"
BH-7090-14	3"	2" 2" 2"	1-1/2"
BH-7101-04	3-1/2"		1-1/2"
BH-7533-96	4"	1-1/2"	1-1/2"
BH-7090-15	4"	2"	1-1/2"
BH-7101-03	5"	2"	1-1/2"
BH-7090-16	6"	2"	1-1/2"
BH-7090-17	7"	2"	1-1/2"
BH-7533-97	8"	3-1/8"	1-1/2"
BH-7533-98	3-1/2"	1-1/2"	1-3/4"
BH-7515-66	5"	1-3/4"	2"
BH-7536-53	5"	2-1/4"	2-3/4"
BH-7536-54	10"	2-1/4"	2-3/4"
BH-7234-119	Heigh	t Extension K	it
BH-7500-95	Exten	sion Holder	

Will fit lifts using Nesting Style Extensions. Please verify pin diameter used on the lift before ordering.

Note: 1-1/2" pin diameter is common on ALM, Ammco and Ben Pearson Lifts

1-3/8" pin diameter is common on Pro-Lift, Bend-Pak & Magnum Lifts

1-1/4" pin diameter is common on Forward Lifts

1-3/4" pin diameter is common on Rotary SPO12

2-3/4" pin diameter is common on Rotary SPO15 and SPO18




Nesting Style Adapter Pads for Surface Mount Lifts





Nesting Style Height Extensions for Surface Mount Lifts



These adapters are "Specials" and are Made-to-Order. Please call an SVI representative for a price quote.



Type - NSPNRW

For close to frame obstructions

Commonly sold for use on the rear of late model trucks. Avoids denting or puncturing fuel tank and smashing brake lines.

SVI Part #	Pin Diameter	Rubber Pad
BH-7091-59	1-1/8"	BH-9900-10A
BH-7091-58	1-1/4"	BH-9900-10A
BH-7091-57	1-3/8"	BH-9900-10A
BH-7091-56	1-1/2"	BH-9900-10A

Type - NSPSUA

SVI Part #	Height	Pin Diameter	Rubber Pad
BH-7091-70	5"- 6-3/4"	1-1/2"	BH-7101-00
BH-7091-71	8"- 9-3/4"	1-1/2"	BH-7101-00
BH-7091-72	10"-12-3/4"	1-1/2"	BH-7101-00

FEATURES:

• Replaceable Rubber Pad - order BH-7101-00

Replacement Spin-Up Adapters for Surface Mount Lifts




Made to fit any lift using either 1-1/8", 1-1/4" - 7 or 1-3/8" - 6 threads. Identify thread size from the lift you are working on, determine length and select the part number for the item(s) you would like us to ship.

SV/I Dout #	Thread Size	Unight
SVI Part #	Thread Size	Height
BH-7091-17	1-1/8"	4"
BH-7091-18	1-1/8"	5"
BH-7091-19	1-1/8"	6"
BH-7091-20	1-1/8"	7"
BH-7091-21	1-1/8"	8"
BH-7091-22	1-1/4"-7	4"
BH-7091-23	1-1/4"-7	5"
BH-7091-24	1-1/4"-7	6"
BH-7091-25	1-1/4"-7	7"
BH-7091-26	1-1/4"-7	8"
BH-7091-27	1-3/8"-6	4"
BH-7091-28	1-3/8"-6	5"
BH-7091-29	1-3/8"-6	6"
BH-7091-30	1-3/8"-6	7"
BH-7091-31	1-3/8"-6	8"
BH-7091-32	1-3/8"-6	4"
BH-7091-33	1-3/8"-6	5"
BH-7091-34	1-3/8"-6	6"
BH-7091-35	1-3/8"-6	7"
BH-7091-36	1-3/8"-6	8"



Replacement Spin-Up Adapters for Surface Mount Lifts




FEATURES:

Replaceable Rubber Pad
 Order: BH-7225-01 / BH-7225-01-4 (Kit)
 Heavy Duty: BH-7225-01X / BH-7225-01K (Kit)

Made to fit any lift using either 1-1/4" - 7 or 1-3/8" - 6 threads or 1-3/8" - 4 acme. Identify thread size from the lift you are working on, determine length and select the part number for the item(s) you would like us to ship.

Type - SUH 6"

SVI Part #	Thread Size	Height
BH-7090-20	1-1/4"-7	4"
BH-7090-21	1-1/4"-7	5"
BH-7090-22	1-1/4"-7	6"
BH-7090-23	1-1/4"-7	7"
BH-7090-29	1-1/4"-7	8"
BH-7227-41	1-1/4"-7	10"
BH-7227-42	1-1/4"-7	12"
BH-7225-03	1-3/8"-6	3-1/2"
BH-7090-25	1-3/8"-6	4"
BH-7090-26	1-3/8"-6	5"
BH-7090-27	1-3/8"-6	6"
BH-7090-28	1-3/8"-6	7"
BH-7225-04	1-3/8"-6	8"
BH-7090-30	1-3/8"-6	9"
BH-7090-31	1-3/8"-6	10"
BH-7090-32	1-3/8"-4	4"
BH-7090-33	1-3/8"-4	5"



Height SVI Part # **Thread Size** BH-7090-40 1-1/4"-7 4" 5" BH-7090-41 1-1/4"-7 BH-7090-42 1-1/4"-7 6" 7" BH-7090-43 1-1/4"-7 BH-7090-44 1-1/4"-7 8" BH-7090-45 1-3/8"-6 4" BH-7090-46 1-3/8"-6 5" BH-7090-47 1-3/8"-6 6" BH-7090-48 1-3/8"-6 7" BH-7090-49 1-3/8"-6 8" BH-7090-50 1-3/8"-6 9" BH-7090-51 1-3/8"-6 10"

Replaceable Rubber Pad - order BH-7150-02

Made to fit any lift using either 1-1/4" - 7 or 1-3/8" - 6 threads. Identify thread size from the lift you are working on, determine length and select the part number for the item(s) you would like us to ship.




Shims are In-Stock! Order Today!

BH-7512-89 • 1/4" Black - Pack of 50 BH-7512-90 • 1/16" Blue - Pack of 50 BH-7512-91 • 1/8" Red - Pack of 50 BH-7512-92 • Assortment - 150 Shims



Replacement Spin-Up Adapters for Surface Mount Lifts



Made to fit any lift using either 1-1/8", 1-1/4" - 7 or 1-3/8" - 6 threads or 1-3/8" - 4 acme. Identify thread size from the lift you are working on, determine length and select the part number for the item(s) you would like us to ship.

These adapters are "Specials" and are Made-to-Order. Please call an SVI representative for a price quote.

• Replaceable Rubber Pad - order BH-7450-02

Made to fit any lift using either 1-1/4" - 7 or 1-3/8" - 6 threads or 1-3/8" 4 acme. Identify thread size from the lift you are working on, determine length and select the part number for

Type - SUR5

FEATURES:

For close to frame obstructions

Commonly sold for use on the rear of late model trucks. Avoids denting or puncturing fuel tank and smashing brake lines.

SVI Part #	Thread Size	Height
BH-7091-48	1-1/8"	4"
BH-7091-49	1-1/8"	6"
BH-7091-50	1-1/8"	8"
BH-7091-45	1-1/4"-7	4"
BH-7091-46	1-1/4"-7	6"
BH-7091-47	1-1/4"-7	8"
BH-7091-37	1-3/8"-6	4"
BH-7091-38	1-3/8"-6	6"
BH-7091-39	1-3/8"-6	8"
BH-7091-40	1-3/8"-6	10"
BH-7091-41	1-3/8"-4	4"
BH-7091-42	1-3/8"-4	6"
BH-7091-43	1-3/8"-4	8"
BH-7091-44	1-3/8"-4	10"

Thread Size	Height
1-1/4"-7	4"
1-1/4"-7	5"
1-1/4"-7	6"
1-1/4"-7	7"
1-1/4"-7	8"
1-3/8"-6	4"
1-3/8"-6	5"
1-3/8"-6	6"
1-3/8"-6	7"
1-3/8"-6	8"
1-3/8"-6	9"
1-3/8"-6	10"
	1-1/4"-7 1-1/4"-7 1-1/4"-7 1-1/4"-7 1-3/8"-6 1-3/8"-6 1-3/8"-6 1-3/8"-6 1-3/8"-6 1-3/8"-6 1-3/8"-6 1-3/8"-6 1-3/8"-6 1-3/8"-6 1-3/8"-6

Spin-Up Adapters for Stenhoj

Why wait for these to come from overseas?

the item(s) you would like us to ship.

These domestically produced adapters for Stenhoj lifts not only reduce your costs they also decrease your delivery time. They are made domestically in the USA and fit directly in the metric hole of the swing arm.


We relish in the idea of domesticating repair parts used on imported lifts. Put our product development team to work for you. If there is something you would rather not have to wait on or would like to enjoy saving money on let us know.



Replaceable Rubber Pads: BH-7450-02



Replacement Spin-Up Adapters for Surface Mount Lifts



Type - SURX


SVI Part #	Thread Size	Height
BH-7090-79	1" - 8	4"
BH-7090-80	1-1/4" - 7	4"
BH-7090-81	1-1/4" - 7	5"
BH-7090-82	1-1/4" - 7	6"
BH-7090-83	1-1/4" - 7	7"
BH-7090-84	1-1/4" - 7	8"
BH-7090-85	1-3/8" - 6	4"
BH-7090-86	1-3/8" - 6	5"
BH-7090-87	1-3/8" - 6	6"
BH-7090-88	1-3/8" - 6	7"
BH-7090-89	1-3/8" - 6	8"

FEATURES:

• Replaceable Rubber Pad - order BH-7750-02


Made to fit any lift using either 1" - 8, 1-1/4" - 7 or 1-3/8" - 6 threads or 1-3/8" - 4 acme. Identify thread size from the lift you are working on, determine length and select the part number for the item(s) you would like us to ship.

Height Extension Adapters for In-Ground & Surface Mount Lifts





Height Extension Adapters for In-Ground & Surface Mount Lifts



FEATURES:

• Replaceable Rubber Pad - order BH-9755-50-1

SVI carries many additional styles of height extensions. If you don't see what you need, please call your SVI Sales Representative!





Opening Opening

Height

1"

1"

1"

Width

4-7/8"

4-1/4"

5-1/4"

Height Extension Adapters for In-Ground & Surface Mount Lifts


for Lift Mfg by:

Rotary

Western

Wheeltronic

Type - SORNA



SVI Part #

BH-9755-49

BH-7790-00

BH-9712-07N

This extension fits: ROTARY - flip-up cast adapter WHEELTRONIC - (Snap-on) flip-up cast adapter

Height


8" - 12"


8" - 12"

8" - 12"

FEATURES:

 Replaceable Rubber Pad -Order BH-7235-90AX Kit: BH-7235-90K





This extension fits: **ROTARY** - flip-up cast adapter

Type - SPR


	and the second se			Opening	Opening
	SVI Part #	for Lift Mfg by:	Height	Width	Height
FEATURES:	BH-9789-93	Rotary	3"	4-11/16"	1"
Replaceable Rubber Pad -	BH-9789-94	Rotary	4"	4-11/16"	1"
order BH-7101-00	BH-9789-95	Rotary	5"	4-11/16"	1"
	BH-9789-96	Rotary	6"	4-11/16"	1"

Type - SPR1

Intended more as a protective rubber pad assembly to protect undercoating rather than a Height Extension.

FEATURES:

 Replaceable Rubber Pad order BH-7101-00





This extension fits: **ROTARY** - flip-up cast adapter

-	SVI Part #	for Lift Mfg by:	Height	Opening Width	Opening Height	
	BH-9789-98	Rotary	1"	4-11/16"	1-3/16"	



Height Extension Adapters for In-Ground Lifts





This extension fits:FORD SMITH - flip-up cast adapterGILBARCO - flip-up cast adapterGLOBE - flip-up cast adapterMANITOWOC - flip-up cast adapterWESTERN - flip-up metal adapter


FEATURES:

 Replaceable Rubber Pad BH-9900-10
 SVI Part #
 for Lift Mfg by:
 Height

 BH-9380-03
 Gilbarco
 9"

 BH-9420-13P
 Globe & Manitowoc
 9"

 BH-9712-07A
 Western
 9"



Type - SPCW1

Intended more as a protective rubber pad assembly to protect undercoating rather than a Height Extension.

This extension fits: CHALLENGER - flip-up cast adapter WEAVER - flip-up cast adapter

FEATURES:
Replaceable Rubber Pad - order BH-7101-00

SVI Part #	for Lift Mfg by:	Height	Opening Width	Opening Height
BH-9681-06	Challenger/Weaver	1"	5-7/8"	1"




Height Extension Adapters for In-Ground Lifts






Type - SOCWP

FEATURES: • Replaceable Rubber Pad BH-9900-10



SVI Part #	for Lift Mfg by:	Height
BH-9680-01B	Challenger/Weaver	9"
BH-9680-01C	Challenger/Weaver	11"



Type - SONRW

For close to frame obstructions

Commonly sold for use on the rear of late model trucks. Avoids denting or puncturing fuel tank and smashing brake lines.

SVI Part #	for Lift Mfg by:	Height
BH-9420-27	Globe/Ford Smith	9"
BH-9755-48	Rotary	9"
BH-9680-00	Challenger/Weaver	9"

FEATURES:

• Replaceable Rubber Pad

These adapters are "Specials" and are Made-to-Order. Please call an SVI representative for a price quote.




Height Extension Adapters for In-Ground Lifts

Type - SOGP			<i>This extension fits:</i> GILBARCO - flip-up cast adapter GLOBE - flip-up cast adapter		
FEATURES: • Replaceable Rubber Pad BH-7225-01 • Kit: BH-7225-01-4	SVI Part # BH-9380-04 BH-9420-25	for Lift Mfg by: Gilbarco Globe	Opening WidthOpening Height8-1/2"5-3/4"1-1/2"8-1/2"5-11/16"1-1/5"		
Type - SOGPA			<i>This extension fits:</i> ILBARCO - flip-up cast adapter. LOBE - flip-up cast adapter.		
FEATURES:	SVI Part # BH-9380-05 BH-9420-26	for Lift Mfg by: Gilbarco Globe	Opening Width Opening Height 7" - 10" 5-3/4" 1-1/2" 7" - 10" 5-11/16" 1-1/2"		
Replaceable Rubber Pad BH-7225-01 • Kit: BH-7225-01-4		0.000			
Type - SOWNA			Opening Height H		
FEATURES:			<i>This extension fits:</i> WESTERN - flip-up metal adapter.		
 Replaceable Rubber Pad - Order BH-7235-90AX or Kit: BH-7235-90K 	SVI Part # BH-9712-07N	for Lift Mfg by: Western	Opening WidthOpening Height8" - 12"5-1/4"		



Height Extension Adapters for In-Ground Lifts

Intended more as a protective rubber pad assembly to protect undercoating rather than a Height Extension.




Type - SPW1

This extension fits over: **WESTERN** - flip-up metal adapter

FEATURES:

• Replaceable Rubber Pad order BH-7101-00

SVI Part #	for Lift Mfg by:	Height	Width	Opening Height
BH-9712-13	Western	1"	5-1/4"	1-3/16"



BH-7512-89 • 1/4" Black - Pack of 50 BH-7512-90 • 1/16" Blue - Pack of 50 BH-7512-91 • 1/8" Red - Pack of 50 BH-7512-92 • Assortment - 150 Shims



Additional Height Extensions for Benwil Models

Pick-up Pad Assemblies

SVI Part #	OEM #	For Model:	Collar
BH-7208-66B		BW-9, GPOA-9, GPOA-10	2-1/4"
BH-7209-99	100946	BW-7, T-PRO-7, GPOA-7	2"
BH-7205-02		old GP/GPO-7	2-3/8" w/lip on top
BH-7205-02OV		TP/TPO-7 OEM arms	N/A
BH-7209-03		TP-9	3"

Don't see what you need, please call. SVI can help! We have more options.

Truck Extensions


SVI Part #	OEM #	For Model:	Collar		
BH-7201-81	TA-7	GP/GPO-7	2.44"		
BH-7210-03A	100945	GPOA-7, GPOA8, GPOA7, TPRO-7, BW7	2"		
BH-7207-01	101086	GPOA9, GPO9, BW9, BWO9, GPOA10	2-1/4"		
BH-7207-97	101006 / 100963	GP9 & GPO9 (set of 4)			
BH-7206-36	100962	BW-9 & BWO-9			
BH-7200-12	100987	Most Models			
See table of contents for more beight extensions for Benwil lifts					

See table of contents for more height extensions for Benwil lifts.



BH-7206-36

Screw Adapter Ext. For Benwil Fits: BW-9 & BWO-9 Replaces OEM # 100962




BH-7209-99 Truck Adapter Ext. For Benwil Fits: BW-7, T-PRO-7 & GPOA-7 Replaces OEM # 100946



BH-7207-01 Truck Adapter Ext. For Benwil Fits: BW-9, BWO-9 & GPOA-9 Replaces OEM

101086 Max Height is about 9"



BH-7200-12 (BH-7206-87 was replaced by BH-7200-12) 6" Height Extension For Benwil Fits: Most Models Replaces OEM # 100987




BH-7206-34

Screw Assembly, Truck Adapter for Benwil Replaces OEM # 100955


BH-7207-97 Truck Adapter Ext. For Benwil Fits: GP-9 & GPO-9 Replaces OEM # 101006 or 100963



Additional Height Extensions for Manitowoc & Gilbarco Models



BH-9380-01 / OEM # K34154 For Side-By-Side and Single-Post Models: A-1AB1, A-1AB2, A-1AB3, A-1AB4, A-12D3, A-12D4, A-12E3, and A-12E4 Kit includes four (4) adapters for use on 1-3/4" Thick Swing Arms Only. Adjustable pad raises from 7-3/4" to 12" off the ground. Lifts light trucks and vans.



ATF-70B, ATF-70 and ATF-55



BH-7352-01 / OEM # K34155 Pick-Up Pad Height Extender Adapters Kit (set of 4 adapters)

- For use on Gilbarco ATF-55 & ATF-70 above-ground lifts • Each supports 1,750 lbs.
- Adapters can be rotated 360° for easy positioning
- Adapters extend for 5" to 6-1/2" above the top of the swing arm.

SVI is proud to have Manitowoc Lifts as an SVI Brand Product Line.
Call today to get repair parts for your Manitowoc or Gilbarco lift!
SVI has what you need! Call: 800-321-8173

5 1/8" 5 1/8" 3/4" BH-7350-00 / OEM# K93223

Pad for Manitowoc & Gilbarco Models: CFF-70, CFF-70N, CFF-70S, CFF-90, CFF-10,000, CBT-70, CBT-90, and CL-9000



See table of contents for more height extensions for Manitowoc Lifts and Gilbarco.



Additional Height Extensions for Rotary Models



BH-7500-90 Replaces OEM# FJ6137 Adapter and Mounting Rack Kit (kit of 4)



BH-7508-61 Replaces OEM# FJ7735-2 Rectangular Adapter Pad



BH-7502-01 Replaces OEM# FJ697 Rubber Pad Adapter (Low) Also Available: BH-7502-06 (High)



BH-7500-80-1 Swing Arm Adapter for Rotary



BH-7536-51 Rubber Adapter For Rotary Replaces OEM# FJ7822-2



Please specify exact lift model when ordering or inquiring.

BH-9755-70AR

Designed for SPO/SPOA lift models. These truck extensions lock in and encapsulate the entire high and low step assembly placing the load directly over the adapter swivel pin. This provides maximum stability and a proper method to reach the lifting points on F350 and 3500 series trucks. There are many different inner arm configurations found on SPO and SPOA models.



BH-7536-96 Replaces OEM# FJ6214 / FJ6182 / FJ6159ZN Rubber Pad Adapter Base with pad (for SPOA7 / SPO9RA) Order Kit (shown): BH-7536-97K



BH-7542-66 Round Thread Up Replaces OEM# FJ6202 Adapter with Pad Order Pad Kit: BH-7542-66PK




BH-7536-53 Replaces OEM# FJ7822-4 5" Aluminum Height Ext. for SPO15/18



BH-7536-54 Replaces OEM# FJ7822-5 10" Aluminum Height Ext. for SPO15/18


See table of contents for more height extensions for Rotary lifts.

































SVI ALSO OFFERS: Custom Adapters for In-Ground Lifts!

Put SVI's engineering expertise to work for your customers so everyone can rest assured that their SVI-made special adapters are right for the job. Bring us your custom adapter requirements and for no extra charge SVI engineers will design the proper strength that you need.

SVI can tailor make adapters for most makes and models of lifts found in the field. We enjoy the aspect of problem solving and using our knowledge and creativity to come up with solutions that fit.



Custom Saddle for RV Manufacturer

This saddle was designed by SVI engineers to meet the needs of an RV manufacturer whose chassis had changed. It fits on a model AC-1010 lift that was produced by Western Hoist. This saddle and adapter package provides extended reach capability and quick position pad style adapters.




Modified Saddle with Special Adapters

A valued distributor in Indiana needed help with a special application that presented itself. The standard saddle and adapter combination that was originally supplied on their customers Rotary lift did not properly reach the lifting points to accommodate some newly purchased vehicles. This meant they were having difficulty in properly and safely lifting the new wider wheelbase vehicles and something needed to be done. SVI was the first and most logical choice to handle such a request. After listening to the scope of the job and the exact requirements, SVI went immediately to work. The customer needed a modified saddle with special adapters for an older Rotary lift model AT70E that would provide 70" of reach yet still allow for continued use of the standard adapters that were originally supplied. SVI was able to do it all and even upgrade the strength of the saddle at the same time. When fast turn around and special requirements go hand in hand, SVI is your answer!



Rubber Pad Adapter For Globe In-Ground BH-9420-29



Custom Sliding Saddle Assembly

This custom sliding saddle assembly was designed to fit a fleet of trucks with a longer wheelbase. SVI's engineering team solved the problem so the trucks were able to be lifted properly for service. The sliding saddle assembly was designed so the lift's capacity would not need to be downrated and the customer was able to reuse their existing adapters.

BH-9755-55A are custom designed rear adapters that have become a standard in the SVI product line. The adapters

are for use on Rotary fore and aft bus and truck lifts. The 17" height provides more clearance around the differential.



BH-9667-20TS is for use in saddles found on the rear section of 10-5/8" and 12-5/8" Weaver and SVI heavy duty lift models. This adapter is made special to provide more clearance between the saddle and the differential housing on some newer model trucks. The 20TS is a 3" taller version than its cousin the -20 and is constructed with a full 3/4" thick riser plate.

Custom Heavy Duty Adapters

As new models of trucks and buses are introduced by the manufacturers, existing heavy duty lift adapters don't always match up with newly designed undercarriages. The adapters pictured (right) are a variation of a Rotary



design but made both taller than standard and intended to fit a Weaver saddle. These adapters properly solved clearance issues the shop was encountering.



The adapter pictured left was built for a municipal garage that purchased a Sterling tandem axle truck that would be used in the winter to plow and spread salt. This adapter allows the shop to lift the Sterling truck safely between the tandem

axles rather than just by one of the two axles. It was also designed to still function as axle engaging for their other single axle vehicles. This adapter solved the problem and handles all of their vehicles so adapter switches never need to be made.

TERMS AND CONDITIONS OF THE SALES ORDER FOR SVI INTERNATIONAL, INC.

- 1. <u>GENERAL</u>. The terms and conditions of sales order outlined herein shall apply to the sale by SVI INTERNATIONAL, INC. (hereinafter referred to as "Company") of the items described on the facing page (hereinafter referred to as "Merchandise") to Purchaser.
- 2. <u>DELIVERY</u>. Delivery shall be deemed to be complete when the Merchandise has been shipped F.O.B. Company's plants in DeKalb, Illinois, Duarte, California; and Baltimore, Maryland ("Company's plants"). Shipments are subject to delays from causes or contingencies beyond the reasonable control of the Company. When otherwise not specified, shipments will be made in standard containers via carrier which, in the judgment of the Company, will result in the most practical method. Title and right of possession will pass to the Purchaser upon receipt by the carrier at the shipping point. If a customer of the Company should specify a specific carrier's method of shipment (i.e. UPS Next Day Air) and that carrier does not perform to the customer's expectations, freight credit to a customer's account will not be issued unless the Company can first obtain a credit.
- 3. <u>RISK OF LOSS</u>. Identification of the Merchandise under Uniform Commercial Code (hereinafter referred to as "UCC") Section 2-501 shall take place at the moment of shipment F.O.B. Company's plants. Risk of loss shall pass to the Purchaser when the Merchandise is shipped from the Company's plants.
- 4. <u>TITLE</u>. Title to the merchandise shall transfer to the Purchaser when the Merchandise is shipped from the Company's plants.
- 5. WARRANTIES. The Company guarantees its products to be free from defects in workmanship and raw materials for a period of one year from date of purchase. <u>THIS WARRANTY IS EXPRESSLY IN LIEU OF ANY AND ALL WARRANTIES EXPRESS OR IMPLIED.</u> <u>COMPANY DOES NOT WARRANT THE MERCHANDISE IS MERCHANTABLE OR FIT FOR ANY PARTICULAR PURPOSE</u>. Company's liability for breach of the terms of this Agreement, including any warranty, is limited to either refund of the invoice price of the Merchandise or at Company's option, replacement of the Merchandise free of charge, including transportation charges but not including the cost of labor. Purchaser has not relied on any statement or upon the conduct of Company with respect to the prospective use of the merchandise. Company shall not be liable for and Purchaser waives any and all claims for any loss or damage, directly or indirectly, arising from the use of the Merchandise and for punitive, incidental or consequential damages, including, but not limited to, damages to property, for loss of use, loss of time, loss of profit or loss of income. The Company does not authorize the sale of our products under any other warranty, expressed or implied.
- 6. <u>SETOFF</u>. All claims for money due or to become due from the Company shall be subject to deduction by the Company for any setoff or counterclaim arising out of this or any other claims of the Company or its affiliated companies, whether such setoff or counterclaim arose before or after any assignment by Purchaser.
- 7. INDEMNIFICATION. Purchaser agrees to indemnify the Company and hold it harmless from and against all claims, liability, loss, damage or expense, including reasonable counsel fees, arising from or by reason of any modifications or alterations made by Purchaser. If a customer of the Company modifies or alters any part, in any manner whatsoever, or uses any part in departure from recommended performance specifications, said customer agrees to indemnify and hold the Company harmless from and against all liability and expenses based on damage to property or injury to or death of any person arising out of or attributable to such modified or altered part. Further, the Company will not accept any such modified or altered part for credit to a customer's account.
- 8. FREIGHT POLICY. Freight charges on individual orders less than \$3,000 in net value are prepaid and added to invoice or collect F.O.B. shipping point. Freight charges (standard ground service and continental US only) on individual orders more than \$3,000 net value are paid by the Company F.O.B. shipping point. Note: customers with C.O.D. terms are responsible for all carrier C.O.D. fees regardless of order net value.
- 9. <u>RETURN POLICY</u>. To return parts for credit or inspection Purchaser must first contact the Company to obtain a Return Goods Authorization number (RGA#). Once Purchaser has obtained an RGA# the parts can be returned freight prepaid only. The RGA# must be on the outside of the container in a highly visible location. All parts must be returned freight prepaid and the shipment must include a letter of explanation giving the specific reason for return including details as to the conditions under which the part or parts operated. Note: parts returned without an RGA#, freight collect or without written explanation may be refused. Parts which have been used in any way or manner, including any installation or incorporation into a lift or hoist, shall NOT be eligible for return whether or not an RGA has been assigned.
- 10. <u>RESTOCK CHARGE</u>. Returns are subject to up to twenty-five (25%) restocking charge. Refusals are subject to the same restocking charge plus the cost of outbound and return freight charges and/or fees incurred by the Company due to shipment refusal.
- 11. <u>PRICES AND PAYMENTS</u>. All prices are subject to change without notice. All prices are F.O.B. shipping point. The Company standard terms are net 30 days, C.O.D. company check, C.O.D. cash, VISA, MasterCard, Discover or American Express. However, if in the judgment of the Company, the financial condition of the Purchaser at any time does not justify shipment according to standard terms of payment, the Company may require full or partial payment in advance.
- 12. INTERPRETATION. This sales order is intended by the parties as a complete and exclusive statement of the terms of their agreement. It supersedes all prior agreements, written or oral. No course of prior dealings between the parties and no usage of the trade shall be relevant to supplement or explain any terms used in this sales order. Acceptance or acquiescence in a course of performance rendered under this purchase order shall not be relevant to determine the meaning of this sales order even though the accepting or acquiescing party has knowledge of the nature of the performance and opportunity for objection. Whenever a term defined by the UCC is used in this sales order the definition contained in the UCC shall control.
- 13. <u>MODIFICATION</u>. This sales order can be modified or rescinded only by a writing signed by both parties.
- 14. <u>WAIVER</u>. No claim or right arising out of a breach of this sales order can be discharged in whole or in part by a waiver or renunciation of the claim or right unless such waiver or renunciation is supported by consideration and is in writing signed by the aggrieved party.
- 15. <u>ASSIGNMENT</u>. No right or interest in this sales order shall be assigned by either party without the written consent of the other and no delegation of any obligation owed, or of the performance of any obligation by either the Company or Purchaser shall be made without the written consent of the other party. Any attempted assignment or delegation not made in conformity with this paragraph shall be wholly void and totally ineffective for all purposes.
- 16. <u>TIME TO PERFORM AND BRING ACTION</u>. Time is of the essence of this sales order. Any action for breach of this sales order shall be commenced within two (2) years after the cause of action has accrued. Any party who loses any litigation shall reimburse the other party for costs including reasonable attorneys fees. The exclusive jurisdiction for any legal action shall be the Circuit Court of DeKalb County, Illinois.
- 17. <u>APPLICABLE LAW</u>. This sales order shall be governed by the UCC of Illinois as effective and in force on the date of this sales order.

Offering the Best in Automotive Lift Repair Parts and More!

Auto Lift Cables • Auto Lift Parts • Brake Lathe Repair Parts Compressed Air Repair Parts • Exhaust System Products • Fluid Delivery Repair Parts Lubrication Equipment Repair Parts • Repair Parts for Gasboy Consumer Series Service Station Pump and Tank Products • SVI Misc Auto Lift Products and Catalogs Tire Changer Repair Parts • Vehicle Lifting Systems • Wheel Balancer Accessories

Serving the Industry Since 1977 • Same-Day Shipping



SVI International, Inc. (800) 321-8173 • fax: (800) 899-1784

155 Harvestore Drive • DeKalb, IL 60115

www.sviinternational.com

BALTIMORE • CHICAGO • LOS ANGELES

While the utmost care has been used in compiling this reference material, we assume no responsibility for errors. Specifications are subject to change without notice. This edition supersedes all previous editions or issues. SVI reference material is subject to change without notice. All rights reserved.