



## Safety Data Sheet

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System Revision 7

Date of Revision: None

Revision: 0

### Section 1 - Chemical Product and Company Identification

**1.1 Product Name: Instant Tank Snake**

**1.2 Synonym:** Blend

**1.2** VP Racing Fuels, Inc., 7124 Richter Road, Elmendorf, TX 78112, 210.635.7744

**1.3** Recommended Use: Absorbent

**1.4 RESTRICTIONS on USE** Absorbent

**1.5 Emergency Response Number: CHEMTREC 800-424-9300**

**International Emergency Telephone Number: +1-703-527-3887**

**1.6** See Section 16.3 for CHEMTREC in Country Emergency Numbers

### Section 2 - Hazards Identification

#### 2.1 GHS HAZARD

**2.1** Classification of the substance or mixture: Not a classified substance or mixture.

**2.2** GHS Label elements, including precautionary statements Not a classified substance or mixture.

**2.3** Hazards not otherwise classified (HNOC) or not covered by GHS: Although not GHS classified as a hazardous material, the respirable dust is a potential respiratory tract irritant.

### Section 3 - Composition / Information on Ingredients

#### 3.1

CAS#	EC#	Chemical Names	Percent	Classification
N/A	N/A	Mixture of wood cellulose and polyacrylate polymer	100%	N/A

## Instant Tank Snake

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System Revision 7

### 3.2 Mixture

Chemical Names	CAS#	EC/List#	Classification
Wood Pulp Cellulose	65996-61-4	265-995-8	Not classified
2-Propenoic acid, homopolymer, sodium	9003-04-7	618-349-8	Not classified
Cellulose	9004-34-6	232-674-9	Not classified

**3.3 Trade Secret Provision and Chemical Concentration Disclosure:** In accordance with OSHA and GHS Regulations we have withheld specific percentages of the chemicals in this mixture. The chemical concentrations have been disclosed as a mixture and are applicable to the hazards as identified in this Safety Data Sheet.

## Section 4 - First Aid Measures

**4.1 Eye:** Dust may cause burning, drying, itching and other discomfort, resulting in reddening of the eyes.

**Eyes:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

**4.2 Skin:** Exposure to the dust, such as in manufacturing, may aggravate existing skin conditions due to drying effect.

**Skin:** Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately. Wash clothing before reuse.

**4.3 Ingestion:** Although not a likely route of entry, test results have shown that polyacrylate absorbents are non-toxic if ingested.

**Ingestion:** Do NOT induce vomiting. Get medical aid immediately.

**4.4 Inhalation:** Exposure to respirable dust may cause respiratory tract and lung irritation and may aggravate existing respiratory conditions.

**Inhalation:** Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult and IF TRAINED, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation without protection.

**4.5 After first aid, get appropriate paramedic, or community medical support. Note to Physicians:** The severity of outcome following an exposure may be more related to the time between exposure and treatment, rather than the amount exposure. Therefore, there is a need for rapid treatment of any exposure.

## Section 5 - Fire-Fighting Measures

**5.1 General Fire Hazards:** Not Flammable, use water to cool containers exposed to fire.

**5.2 Hazardous Combustion Products:** Thermal decomposition, oxides of carbon and nitrogen.

**5.3 Extinguishing Media:** Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

**5.4 Fire Fighting Equipment/Instructions** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# Instant Tank Snake

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System Revision 7

## Section 6 - Accidental Release Measures

**6.1 Spill /Leak Procedures:** Avoid respirable dust inhalation during clean up. Wear appropriate respirator.

**6.2 Spills:** Use caution after contact of product with water, as extremely slippery conditions will result. Residuals may be flushed with water into the drain for normal wastewater treatment. This is a non-hazardous waste suitable for disposal in an approved solid waste landfill.

## Section 7 - Handling and Storage

**7.1 Handling Precautions:** Wash hands and exposed skin thoroughly after handling. Use with adequate ventilation. Avoid ingestion and contact with eyes, skin or clothing. Keep container tightly closed. Avoid inhalation.

**7.2 Storage Requirements:** Store in a dry, closed container.

## Section 8 - Exposure Controls / Personal Protection

### 8.1

Chemical Names	Manufacture Recondition	Stewart TLV
Mixture of wood cellulose and polyacrylate polymer	3mg/m3 TWA	3mg/m3 TWA

### 8.2 Exposure Guidelines

#### General Product Information

This product is not regulated as a hazardous material. However, the manufacturer recognizes the potential for respiratory tract irritation and recommends an eight-hour exposure limit of 0.05 mg/m3.

#### Engineering Controls

Provide local exhaust ventilation to maintain exposure to less than 0.05 mg/m3 over an eight-hour period.

#### Personal Protective Equipment

**Personal Protective Equipment: Eyes/Face:** Wear safety glasses with side shields or goggles.

**Personal Protective Equipment: Skin:** Use impervious gloves when handling the product in the manufacturing environment.

**Personal Protective Equipment: Respiratory:** Wear respirator with a high efficiency filter if particulate concentrations in the work area exceed 0.05 mg/m3 over an eight-hour period.

**Personal Protective Equipment: General:** Obey reasonable safety precautions and practice good housekeeping. Wash thoroughly after handling.

# Instant Tank Snake

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System Revision 7

## Section 9 - Physical and Chemical Properties

### 9.1

**Physical State:** Solid fibrous web or sheet  
**Appearance:** White  
**Odor:** None  
**Vapor Pressure:** Not Available  
**Vapor Density (Air=1):** Not Available  
**Specific Gravity (H<sub>2</sub>O=1,):** <1.0  
**Relative Density:** Not Available  
**Odor Threshold:** Not Available  
**Flammability (solid, gas):** Not Applicable  
**Evaporation rate:** Not Available  
**Partition coefficient octanol/water:** Not Available  
**pH:** <7<sub>water</sub>

**Water Solubility:** Not soluble will swell in water  
**Flash Point:** Not Applicable  
**Boiling Point/Range:** Not Available  
**Melting Point:** Not Available  
**Lower Explosive Limits (vol % in air):** Not Applicable  
**Upper Explosive Limits (vol % in air):** Not Applicable  
**Melting Point:** Not Available  
**Viscosity:** Not Available  
**Auto ignition Temperature:** Not Available  
**Decomposition temperature:** Not Available

## Section 10 - Stability and Reactivity

**10.1 Stability:** Stable under ordinary conditions of use and storage.

**10.2 Polymerization:** None

**10.3 Chemical Incompatibilities:** None

**10.4 Hazardous Decomposition Products:** None known

**10.5 Conditions to Avoid:** None known

## Section 11- Toxicological Information

### 11.1

Product Name	Results	Species	Dose	Exposure
Mixture of wood cellulose and polyacrylate polymer	Oral LD50	Rat	>2000 mg/kg	None Listed

**11.1.1** OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause Oral Toxicity.

**11.1.2** Acute toxicity inhalation Irritant: Inhalation of dust particulate may cause mild irritation of upper respiratory tract and lungs. May aggravate existing respiratory conditions.

**11.2 Route of Entry:** Skin, Inhalation

**11.3 Aspiration Hazard:** European Chemical Agency Data Base shows that no components of this product may be fatal if swallowed and enters airways.

**11.4 Mutagenicity:** European Chemical Agency Data Base show no components of this product to cause genetic defects.

## Instant Tank Snake

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System Revision 7

**11.5 Skin Corrosion/Irritation:** OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause skin irritation. However, may aggravate existing skin conditions due to drying effect.

**11.6 Serious Eye Damage/Irritation:** OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause serious eye irritation.

**11.7 Reproductive toxicity:** European Chemical Agency Data Base show no components of this product to cause damage to fertility or the unborn child.

**11.8 Skin Sensitisation** OECD Guideline Tests results found in the European Chemical Agency Data Base show no components of this product to cause skin sensitivity.

**11.9 Respiratory Sensitisation** OECD Guideline Tests results found in the European Chemical Agency Data Base show no components of this product to cause respiratory sensitivity.

**11.10 Specific Target Organ Toxicity (Single Exposure):** European Chemical Agency Data Base shows that no components of this product may cause respiratory track irritation. However acute inhalation of respirable dust may cause irritation of the upper respiratory tract and lungs.

**11.11 Target Organ Toxicity (Repeated Exposure):** Chronic inhalation exposure to rates for a lifetime (two years) using sodium polyacrylate that had been micronized to a respirable particle size (less than 10 microns) produced non-specific inflammation and chronic lung injury at 0.2 mg/m<sup>3</sup> and 0.8 mg/m<sup>3</sup>. Also, at 0.8 mg/m<sup>3</sup>, tumors were seen in some test animals. In the absence of chronic inflammation, tumors are not expected. There were no adverse effects detected at 0.05 mg/m<sup>3</sup>.

**11.12 Signs and Symptoms:** Respiratory tract and lungs irritant and aggravate existing skin conditions.

**11.13 Carcinogenicity:** European Chemical Agency Data Base shows that no components of this product to cause cancer in humans.

## Section 12 - Ecological Information

### 12.1

Product Name	Results	Species	Exposure
Mixture of wood cellulose and polyacrylate polymer	None shown		

**12.2 Toxicity:** OECD Guideline Test results found in the European Chemical Agency Data Base show no components of this product to cause long-term harm aquatic life.

**12.3 Mobility:** Immobile in landfills and soil systems (> 90% retention)

**12.4 Persistence/degradability:** No data available for this mixture.

**12.5 Bioaccumulation:** No data available for this mixture.

**12.6 Results of PBT and vPvB assessment:** No data available for this mixture

**12.7 Other adverse effects:** Similar polyacrylate absorbents are relatively inert in aerobic and anaerobic conditions.. They are also compatible with incineration of municipal solid waste. Incidental down-the-drain disposal of small quantities of polyacrylic absorbents will not affect the performance of wastewater treatment systems.

## Instant Tank Snake

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System Revision 7

### Section 13 - Disposal Considerations

**13.1 Disposal: DO NOT REUSE EMPTY CONTAINER!** Container should be completely emptied prior to discard. Container with residues should be considered to be hazardous wastes. Contact a licensed contractor for detailed recommendations. Follow applicable federal, state, and local regulations.

### Section 14 - Transport Information

#### 14.1

Regulatory Information	UN #	Proper Shipping Name	Hazard Class	PG	Label	Additional Information
DOT Classification		Not Regulated				

### Section 15 - Regulatory Information

#### 15.1 US Regulations:

**TSCA:** All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30.

**US TRI Reporting SARA 313:** None

**CERCLA Hazardous Substances and corresponding RQs:** None

**SARA Community Right-to-Know Program:** None

**Clean Water Act:** None

**Clean Air Act:** None

**OSHA:** All ingredients are listed in 1910.1200

#### State Regulations



**WARNING** Cancer - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).”

#### Chemicals on the following State Right to Know Lists:

**Massachusetts:** All components of this product are on the Massachusetts Inventory or are exempt from Inventory requirements.

**New Jersey:** All components of this product are on the New Jersey Inventory or are exempt from Inventory requirements.

**Pennsylvania:** All components of this product) are on the Pennsylvania Inventory or are exempt from Inventory requirements.

## Instant Tank Snake


Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System Revision 7

### Section 16 - Other Information

**16.1 Disclaimer:** The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above is furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use.

**16.2 References:** CHEMpendium data base of Canadian Centre for Occupational Health and Safety (CCOHS), JJ Keller on Line, European Chemical Agency Data Base and MSDS and SDS of chemicals in this mixture.

#### 16.3 CHEMTREC in country emergency dial numbers:

 In-Country Dial Numbers	Local # Provided in Country	Toll Free in Country*	Greeting Language
<b>AMERICAS</b>			
CHEMTREC Argentina (Buenos Aires)	+(54)-1159839431		Latin American Spanish
CHEMTREC Brazil (Rio De Janeiro)	+(55)-2139581449		Portuguese
CHEMTREC Cayman Islands	+(1)-345-749-8392		English
CHEMTREC Chile (Santiago)	+(56)-225814934		Latin American Spanish
CHEMTREC Colombia *		01800-710-2151	Latin American Spanish
CHEMTREC Costa Rica*	+(506)-40003869		Latin American Spanish
CHEMTREC Mexico*		01-800-681-9531	Latin American Spanish
CHEMTREC Panama	+(507)-8322475		Latin American Spanish
CHEMTREC Peru (Lima)	+(51)-17071295		Latin American Spanish
CHEMTREC Trinidad and Tobago*	+(1)-868-224-5716		English

## Instant Tank Snake

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System  
Conforms to The United Nations Regulation Globally Harmonized System Revision 7

MIDDLE EAST			
CHEMTREC Bahrain (Bahrain)	+ (973)-16199372		Arabic
CHEMTREC Israel (Tel Aviv)	+ (972)-37630639		Hebrew
CHEMTREC Saudi Arabia*	+ (966)-8111095861		Arabic and English
CHEMTREC Kuwait National	+965-22274681		Arabic and English
SUB SAHARAN AFRICA			
CHEMTREC South Africa*		0-800-983-611	English
EAST ASIA			
CHEMTREC Hong Kong (Hong Kong)*		800-968-793	Cantonese
CHEMTREC Japan (Tokyo)	+ (81)-345209637		Japanese
CHEMTREC South Korea*		00-308-13-2549	Korean
CHEMTREC South Korea	+ (82) 070-7686-0086		Korean
CHEMTREC Taiwan*		00801-14-8954	Mandarin
SOUTHEAST ASIA			
CHEMTREC Indonesia*		001-803-017-9114	Indonesian
CHEMTREC Malaysia *		1-800-815-308	Malay
CHEMTREC Malaysia (Kuala Lumpur)	+ (60)-327884561		Malay
CHEMTREC Philippines *		1-800-1-116-1020	Tagalog
CHEMTREC Philippines (Manila)	+ (63) 2-395-3308		Tagalog
CHEMTREC Singapore*		800-101-2201	English and Mandarin
CHEMTREC Singapore	+ (65)-31581349		English and Mandarin
CHEMTREC Thailand *		001-800-13-203-9987	Thai
CHEMTREC Vietnam (Hanoi)*	+ (84)-444581938		Vietnamese
SOUTH ASIA			
CHEMTREC Bangladesh††	N/A	N/A	Bengali
CHEMTREC India *		000-800-100-7141	Hindi
AUSTRALIA & OCEANIA			
CHEMTREC Australia (Sydney)	+ (61)-290372994		English
CHEMTREC New Zealand (Auckland)*	+ (64)-98010034		English
*Phone numbers for countries marked with an asterisk must be dialed within the country			
*Phone numbers for countries marked with an asterisk must be dialed within the country.			
†† Phone numbers marked with a double dagger have a DID and greeting ONLY supplied by CHEMTREC			

**16.4 SDS Preparation Date:** 03/26/2019

**SDS Previous Issue Date:** None

Prepared by SJC Compliance Education, Inc

16516 El Camino Real Suite 417

Houston, TX 77062

[VP@sicedu.org](mailto:VP@sicedu.org)