

Series 45116

150# Flanged Stainless Steel Globe Valve


Features

- Outside screw and yoke
- Bolted bonnet
- Stem / Wedge Connection meets API 600 Pull Test
- Welded Seat
- Yoke Integrated with Bonnet
- Loose Disc
- Renewable Seat Rings
- Rising stem and non-rising hand-wheel
- Flanged ends
- Butt-weld ends
- Applicable Standards:
 - Steel valves ANSI B16.34
 - Face to face ANSI B16.10
 - End flanges ANSI B16.5
 - Butt-weld ends ANSI B16.25
 - Inspection and test API 598



Valves, Automation & Controls






Dimensions (Inches)

Size	A	B	C	D	E	F	G	H	I	Num of Bolt Holes
1/2	0.59	4.25	7.32	3.50	2.38	1.38	0.43	5.51	0.625	4
3/4	0.79	4.61	7.32	3.88	2.75	1.69	0.43	5.51	0.625	4
1	0.98	5.00	8.35	4.25	3.12	2.00	0.43	5.51	0.625	4
1-1/2	1.57	6.50	9.69	5.00	3.88	2.88	0.56	6.29	0.625	4
2	1.97	7.99	9.92	6.00	4.75	3.62	0.62	7.87	0.75	4
2-1/2	2.56	8.50	12.20	7.00	5.50	4.12	0.69	7.87	0.75	4
3	3.15	9.49	12.87	7.50	6.00	5.00	0.75	9.84	0.75	4
4	3.94	11.50	15.12	9.00	7.50	6.19	0.94	9.84	0.75	8
6	5.91	15.98	21.50	11.00	9.50	8.50	1.00	13.78	0.875	8
8	7.87	19.49	26.34	13.50	11.75	10.62	1.12	13.78	0.875	8
10	9.84	24.49	32.44	16.00	14.25	12.75	1.19	19.69	1.00	12
12	12.00	27.50	31.30	19.00	17.00	15.00	1.25	18.11	1.00	12

No.	Part Name	Qty	Material
1	Body	1	316 Stainless Steel ASTM A351 CF8M
2	Disc	1	316 Stainless Steel ASTM A351 CF8M
3	Seat Ring	1	316 Stainless Steel ASTM A351 CF8M
4	Stern	1	316 Stainless Steel
5	Bonnet Bolt	1	304 Stainless Steel
6	Gasket	1	15%R + PTFE
7	Bonnet	1	316 Stainless Steel
8	Gland Packing	1	PTFE
9	Pin	1	304 Stainless Steel
10	Gland Sleeve	1	PTFE
11	Eye Bolt	1	304 Stainless Steel
12	Gland	1	316 Stainless Steel
13	Nut	1	304 Stainless Steel
14	Yoke Sleeve	1	Brass
15	Hand-wheel	1	Ductile Iron
16	Washer	1	304 Stainless Steel
17	Nut	1	304 Stainless Steel



Size	A	B	C	D	E	F	G	H	I	Num of Bolt Holes
12	12.00	14.00	31.30	19.00	17.00	15.00	1.25	18.11	1.00	12
14	13.27	15.00	33.50	21.00	18.75	16.25	1.38	18.11	1.125	12
16	15.24	16.00	35.12	23.50	21.25	18.25	1.44	18.11	1.125	16

No.	Part Name	Material
1	Body	316 Stainless Steel ASTM A351 CF8M
2	Seal Facing	316 Stainless Steel ASTM A351 CF8M
3	Disc	316 Stainless Steel ASTM A351 CF8M
4	Disc Nut	316 Stainless Steel
5	Stem	A182 F316
6	Gasket	316 Stainless Steel & Graphite
7	Bonnet	316 Stainless Steel
8	Bonnet Bolt	B8 Stainless Steel
9	Bonnet Nut	Grade 8 Nut
10	Stem Packing	Graphite
11	Gland	316 Stainless Steel
12	Gland Flange	316 Stainless Steel
13	Gland Eyebolt	B8 Stainless Steel
14	Gland Nut	Grade 8 Nut
15	Stem Nut	Steel
16	Hand Wheel	Ductile Iron
17	Gear Box	Ductile Iron

Shell Test Water psi	Seat Test Water psi	Seat Test Air psi
450	314	80

Temperature °F	Working Pressure psi
-20 to 100	275
200	235
300	215
400	195
500	170
600	140
650	125
700	110
750	95
800	80
850	56
900	50
950	35
1000	20

Ordering

Fig: 8 - 45 - 1 - 1 - 6

Description: 8" - Series 45 - 150# Flange Ends - Stainless Steel

Size	Series	Class	Ends	Body Material	Options
2	45	1 150	1 Flange	6 316 Stainless Steel	X Oxygen Service SF Silicon Free RTJ Ring Type Joint Flange
2-1/2			2 Butt-weld		
3					
4					
6					
8					
10					
12					
14					
16					